

-547817	Elevator Assy, Atomx
080-613	Battery, Lithium, SIZE 2032
080-863	Union, 1/4"-1/4", SS, goes on side arm of glassware
110-240	4-port base mounting screw, 6-32 x 1-375 flat head
12-0041-016	Ferrule, teflon, 1/4", glassware
12-0042-016	Union, 1/16" - 1/8" tube stub, brass
12-0043-016	Ferrule set, 1/8", PTFE, 2 pieces (top of needle)
12-0044-016	Ferrule set, 1/8", brass, set
12-0062-016	Ferrules, 1/16", brass
12-0064-016	Bulkhead, 1/8" - 1/8" Tube stub, Brass
12-0069-016	Nut, 1/8", brass
12-0070-016	Tee, 1/8", Brass
12-0073-016	Union, 1/8" brass
12-0074-016	Union, bulkhead, 1/8" brass
12-0075-016	Conn, Male, 1/8" Tube to 1/8" NPT
12-0076-016	Cap, 1/8", brass
12-0083-003	Trap, Tenax (#1)
12-0084-003	Trap, Tenax/Silica gel (#2)
12-0084-003	Trap, Tenax/Silica gel (#2)
12-0084-303	Trap, Tenax/Silica gel (#2)
12-0084-403	Trap, Tenax/SG, 12" LG, Stamp "2", U Shape
12-0089-052	10ul calibration syringe
12-0323-001	Screw, 6-32 x3/8" 100 flat HD
12-0323-E01	Screw, 6-32 x 3/4, SS
12-0323-V01	Screw, 100 Deg. flat head (priced each, pkg. of 10)
12-0338-016	Union, bulkhead, 1/8", SS
12-0362-000	Back clip
12-0405-016	Nut, 1/8", SS for bottom of trap
12-0408-016	Ferrule set, 1/8", SS
14-0036-050	Sample valve, 3-port
14-0036-050	Sample valve, 3-port
14-0036-050	Sample valve, 3-port
14-0050-016	Union, 1/8" - 1/16", SS
14-0050-016	Union, 1/8" - 1/16", SS
14-0051-016	Union, 1/16-1/16 SS
14-0051-016	Union, 1/16-1/16 SS
14-0051-016	Union, 1/16-1/16 SS
14-0051-016	Union, 1/16-1/16 SS
14-0051-016	Union, 1/16-1/16 SS
14-0051-016	Union, 1/16-1/16 SS
14-0051-016	Union, 1/16-1/16 SS
14-0053-016	Elbow, male, 1/8", NPT, brass
14-0053-016	Elbow, male, 1/8", NPT, brass
14-0053-016	Elbow, male, 1/8", NPT, brass
14-0053-016	Elbow, male, 1/8", NPT, brass
14-0056-000	1/8" NPT to 1/8" Compression
14-0067-027	Allen wrench for sample valve
14-0069-052	5ml gastight syringe w/luer connector
14-0069-052	5ml gastight syringe w/luer connector
14-0069-052	5ml gastight syringe w/luer connector
14-0070-052	25ml gastight syringe w/luer connector
14-0070-052	25ml gastight syringe w/luer connector
14-0114-050	Syringe valve, 2-port, with luer connector
14-0114-050	Syringe valve, 2-port, with luer connector
14-0122-016	Male luer fitting for syringe valve
14-0122-016	Male luer fitting for syringe valve
14-0124-003	Trap, Tenax/Silica gel/charcoal, 12" x 1/8" (#3)
14-0124-003	Trap, Tenax/Silica gel/charcoal, 12" x 1/8" (#3)
14-0124-303	Trap, Tenax/Silica gel/charcoal (#3)
14-0124-403	Trap, Tenax/SG/Char 1/8" Stamp "3", U Shape
14-0124-403	Trap, Tenax/SG/Char 1/8" Stamp "3", U Shape

14-0140-034	Fuse, 2.0 amp
14-0158-016	Ferrule, 1/16", SS, Set
14-0158-016	Ferrule, 1/16", SS, Set
14-0158-016	Ferrule, 1/16", SS, Set
14-0158-016	Ferrule, 1/16", SS, Set
14-0158-016	Ferrule, 1/16", SS, Set
14-0158-016	Ferrule, 1/16", SS, Set
14-0158-016	Ferrule, 1/16", SS, Set
14-0158-016	Ferrule, 1/16", SS, Set
14-0159-016	Nut, 1/16", SS, Swagelok
14-0159-016	Nut, 1/16", SS, Swagelok
14-0216-016	Female luer connector for sample valve
14-0216-016	Female luer connector for sample valve
14-0216-016	Female luer connector for sample valve
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0241-016	Ferrule, 1/16", SS
14-0242-016	Nut, long, for 1/16" tube, Valco
14-0242-016	Nut, long, for 1/16" tube, Valco
14-0243-016	Nut, 1/16", short, SS, Valco
14-0243-016	Nut, 1/16", short, SS, Valco
14-0243-016	Nut, 1/16", short, SS, Valco
14-0243-016	Nut, 1/16", short, SS, Valco
14-0243-016	Nut, 1/16", short, SS, Valco
14-0243-016	Nut, 1/16", short, SS, Valco
14-0243-016	Nut, 1/16", short, SS, Valco
14-0243-016	Nut, 1/16", short, SS, Valco
14-0243-116	Nut, 1/16", Short Gold plated
14-0243-116	Nut, 1/16", Short Gold plated
14-0243-116	Nut, 1/16", Short Gold plated
14-0243-116	Nut, 1/16", Short Gold plated
14-0264-016	Union, bulkhead, 1/16", SS, Upchurch
14-0264-016	Union, bulkhead, 1/16", SS, Upchurch
14-0264-016	Union, bulkhead, 1/16", SS, Upchurch
14-0264-016	Union, bulkhead, 1/16", SS, Upchurch
14-0298-039	Cord, power, universal, 115V
14-0298-039	Cord, power, universal, 115V
14-0298-039	Cord, power, universal, 115V
14-0298-039	Cord, power, universal, 115V
14-0298-039	Cord, power, universal, 115V
14-0298-039	Cord, power, universal, 115V
14-0298-039	Cord, power, universal, 115V
14-0298-039	Cord, power, universal, 115V
14-0298-039	Cord, power, universal, 115V
14-0356-016	Union, bulkhead, 1/8", filter assembly
14-0440-002	Tubing, 1/16" OD, .04ID, NATL, FEP VAC BAKE
14-0440-002	Tubing, 1/16" OD, .04ID, NATL, FEP VAC BAKE
14-0518-050	Relief valve
14-0518-050	Relief valve
14-0518-050	Relief valve
14-0521-016	Ferrule, graphitized vespel .4mm ID for 1/16" bulkhead conn.
14-0539-002	Tubing, fused silica, 0.32mm ID, (price/3 meters), 3 meter lengths
14-0539-002	Tubing, fused silica, 0.32mm ID, (price/3 meters), 3 meter lengths
14-0539-002	Tubing, fused silica, 0.32mm ID, (price/3 meters), 3 meter lengths
14-0540-016	Ferrule, 0.5mm ID, graphite/vespel
14-0540-016	Ferrule, 0.5mm ID, graphite/vespel

14-0546-002	Tubing, copper, 1/8" (per foot, min. 5 ft.)
14-0583-002	Tubing, 1/8" OD, .062" ID, Natural FEP (per foot)
14-0583-002	Tubing, 1/8" OD, .062" ID, Natural FEP (per foot)
14-0583-002	Tubing, 1/8" OD, .062" ID, Natural FEP (per foot)
14-0583-002	Tubing, 1/8" OD, .062" ID, Natural FEP (per foot)
14-0722-009	Washer, no. 6 flat zinc
14-0798-016	Nut, 1/16", SS, Upchurch
14-0798-016	Nut, 1/16", SS, Upchurch
14-0799-016	Ferrule, 1/16", SS, Upchurch
14-0799-016	Ferrule, 1/16", SS, Upchurch
14-1168-003	Trap, blank, 12" x 1/8" (#0)
14-1168-103	Blank 1/8" x 12" Silcosteel lined trap (XPT)
14-1168-303	Trap, blank (#0)
14-1197-039	Cord, Power, 115V 15 A, European Recept
14-1197-039	Cord, Power, 115V 15 A, European Recept
14-1197-039	Cord, Power, 115V 15 A, European Recept
14-1197-039	Cord, Power, 115V 15 A, European Recept
14-1197-039	Cord, Power, 115V 15 A, European Recept
14-1197-039	Cord, Power, 115V 15 A, European Recept
14-1282-034	Fuse holder (panel mount)
14-1301-016	Ferrule, 1/2" Set, Teflon
14-1301-016	Ferrule, 1/2" Set, Teflon
14-1301-016	Ferrule, 1/2" Set, Teflon
14-1313-002	Tubing, copper, 1/4" (priced/foot) 5 ft. minimum
14-1313-002	Tubing, copper, 1/4" (priced/foot) 5 ft. minimum
14-1356-016	Union, bulkhead, 1/4", brass
14-1362-000	Hydrocarbon trap
14-1362-000	Hydrocarbon trap
14-1362-000	Hydrocarbon trap
14-1362-000	Hydrocarbon trap
14-1362-000	Hydrocarbon trap
14-1418-016	Ferrule set, 1/4", brass, Swagelok
14-1418-016	Ferrule set, 1/4", brass, Swagelok
14-1418-016	Ferrule set, 1/4", brass, Swagelok
14-1442-016	Tee, 1/16", zero dead volume, Valco
14-1457-003	Trap, Tenax/charcoal, 12" x 1/8" (#4)
14-1457-003	Trap, Tenax/charcoal, 12" x 1/8" (#4)
14-1457-303	Trap, Tenax/charcoal (#4)
14-1590-016	Nut, plug, Valco
14-1590-016	Nut, plug, Valco
14-1590-116	Nut, Male Plug, 1/16" Gold Plated
14-1590-116	Nut, Male Plug, 1/16" Gold Plated
14-1590-116	Nut, Male Plug, 1/16" Gold Plated
14-1591-110	Septum nut, Varian 1040/1041 injection port
14-1591-110	Septum nut, Varian 1040/1041 injection port
14-1591-410	Septum nut, Varian SPI 1075/1077 and Tracor 540 injection ports
14-1591-410	Septum nut, Varian SPI 1075/1077 and Tracor 540 injection ports
14-1591-510	Septum nut, Perkin-Elmer, all Sigma/8000 Series, & Autosystem ports
14-1591-510	Septum nut, Perkin-Elmer, all Sigma/8000 Series, & Autosystem ports
14-1591-610	Septum nut, Shimadzu 9A, 14A and 17A packed injection ports
14-1652-004	Insulation, pipe, 3/8" ID, 6' length
14-1652-004	Insulation, pipe, 3/8" ID, 6' length
14-1668-000	LN(2) transfer line assembly to capillary interface, insulated
14-1668-000	LN(2) transfer line assembly to capillary interface, insulated
14-1668-000	LN(2) transfer line assembly to capillary interface, insulated
14-1719-050	Valve board assembly for 2 position valve, 110V
14-1719-050	Valve board assembly for 2 position valve, 110V
14-1755-003	Trap, OV-1/Tenax/Silica gel, 12" x 1/8" (#6)
14-1755-003	Trap, OV-1/Tenax/Silica gel, 12" x 1/8" (#6)
14-1755-303	Trap, OV-1/Tenax/Silica gel (#6)

14-1758-116	Tee, with graphite ferrules
14-1787-016	Nut, 1/4", brass, Swagelok
14-1787-016	Nut, 1/4", brass, Swagelok
14-1787-016	Nut, 1/4", brass, Swagelok
14-1812-000	Cryo-2 vent assembly
14-1812-000	Cryo-2 vent assembly
14-1812-000	Cryo-2 vent assembly
14-1967-016	Cap plug, 1/8"
14-2052-024	Sparger, 5mL needle, 1/2" (glassware only)
14-2052-024	Sparger, 5mL needle, 1/2" (glassware only)
14-2052-024	Sparger, 5mL needle, 1/2" (glassware only)
14-2053-024	Sparger, 25mL needle, 1/2" (glassware only)
14-2053-024	Sparger, 25mL needle, 1/2" (glassware only)
14-2053-024	Sparger, 25mL needle, 1/2" (glassware only)
14-2072-002	Tubing, fused silica, 0.53mm ID, (price/meter)
14-2072-002	Tubing, fused silica, 0.53mm ID, (price/meter)
14-2072-002	Tubing, fused silica, 0.53mm ID, (price/meter)
14-2072-002	Tubing, fused silica, 0.53mm ID, (price/meter)
14-2074-016	Ferrule, granite vespel, 0.8mm I.D.
14-2074-016	Ferrule, granite vespel, 0.8mm I.D.
14-2074-016	Ferrule, granite vespel, 0.8mm I.D.
14-2261-016	Union, 1/4 -1/16 Reducing, SS, W/ Teflon Fer
14-2261-016	Union, 1/4 -1/16 Reducing, SS, W/ Teflon Fer
14-2261-016	Union, 1/4 -1/16 Reducing, SS, W/ Teflon Fer
14-2261-116	Union, reducing, 1/4" - 1/16", w/o ferrules
14-2333-024	Sparger, 25mL fritless, 1/2" (glassware only)
14-2333-024	Sparger, 25mL fritless, 1/2" (glassware only)
14-2333-024	Sparger, 25mL fritless, 1/2" (glassware only)
14-2333-024	Sparger, 25mL fritless, 1/2" (glassware only)
14-2333-024	Sparger, 25mL fritless, 1/2" (glassware only)
14-2333-024	Sparger, 25mL fritless, 1/2" (glassware only)
14-2334-024	Frit Sparger, 25mL, 1/2" neck, Tekmar
14-2334-024	Frit Sparger, 25mL, 1/2" neck, Tekmar
14-2334-024	Frit Sparger, 25mL, 1/2" neck, Tekmar
14-2334-024	Frit Sparger, 25mL, 1/2" neck, Tekmar
14-2334-024	Frit Sparger, 25mL, 1/2" neck, Tekmar
14-2334-024	Frit Sparger, 25mL, 1/2" neck, Tekmar
14-2336-024	Fritless Sparger, 5mL, 1/2" Tekmar
14-2336-024	Fritless Sparger, 5mL, 1/2" Tekmar
14-2336-024	Fritless Sparger, 5mL, 1/2" Tekmar
14-2336-024	Fritless Sparger, 5mL, 1/2" Tekmar
14-2336-024	Fritless Sparger, 5mL, 1/2" Tekmar
14-2336-024	Fritless Sparger, 5mL, 1/2" Tekmar
14-2337-024	Frit Sparger, 5mL, 1/2" Neck Tekmar
14-2337-024	Frit Sparger, 5mL, 1/2" Neck Tekmar
14-2337-024	Frit Sparger, 5mL, 1/2" Neck Tekmar
14-2337-024	Frit Sparger, 5mL, 1/2" Neck Tekmar
14-2337-024	Frit Sparger, 5mL, 1/2" Neck Tekmar
14-2337-024	Frit Sparger, 5mL, 1/2" Neck Tekmar
14-2366-003	Trap, OV-1/Tenax/Silica gel/charcoal, 12" x 1/8" (#5)
14-2366-003	Trap, OV-1/Tenax/Silica gel/charcoal, 12" x 1/8" (#5)
14-2366-303	Trap, OV-1/Tenax/Silica gel/charcoal (#5)
14-2366-403	Trap, Char-SC-TNX-OV1 12X1/8, "#5" U Shape
14-2366-403	Trap, Char-SC-TNX-OV1 12X1/8, "#5" U Shape
14-2440-006	Ceramic Standoff for valve oven plate
14-2440-006	Ceramic Standoff for valve oven plate
14-2454-010	Thumb nut #6-32
14-2454-010	Thumb nut #6-32
14-2470-019	Fan, low profile, plumbing cooling
14-2531-800	Cryo valve assembly, 12 VDC

14-2531-800	Cryo valve assembly, 12 VDC
14-2531-800	Cryo valve assembly, 12 VDC
14-2531-900	Dual Cryo valve assembly
14-2535-016	Fitting, Tube 1/8" NPT 1/4", Brass
14-2535-016	Fitting, Tube 1/8" NPT 1/4", Brass
14-2535-016	Fitting, Tube 1/8" NPT 1/4", Brass
14-2549-016	Elbow, 90 degree, tube, 1/8 NPT to 1/16
14-2549-016	Elbow, 90 degree, tube, 1/8 NPT to 1/16
14-2658-050	Valve slider, 6-port, T Type
14-2682-000	Tenax TA, 60/80 mesh, 15g
14-2755-028	Power switch
14-2767-000	Cable, Cryo module to controlling instrument
14-2767-000	Cable, Cryo module to controlling instrument
14-2767-000	Cable, Cryo module to controlling instrument
14-2776-050	Cryogenic valve
14-2776-050	Cryogenic valve
14-2776-050	Cryogenic valve
14-2792-016	Nut, Plug, 1/16", Brass
14-2792-016	Nut, Plug, 1/16", Brass
14-2792-016	Nut, Plug, 1/16", Brass
14-2792-016	Nut, Plug, 1/16", Brass
14-2792-016	Nut, Plug, 1/16", Brass
14-2792-016	Nut, Plug, 1/16", Brass
14-2887-016	Assembly, sample mount, 1/2"x 1/16"
14-2931-016	Ferrule, 1/16", graphite/vespel
14-2950-016	Nut, 1/16", male, 1" long, SS
14-2950-116	Nut, Valco, 1" Long Gold Plated
14-2976-000	Interface, HP 5700 Series 5710/30/90 GC w/5970 MSD with Chemstation using Quicksilver Software
14-2977-000	Sparger, 5ml fritted kit, 16 sets, for 1/2" mounts. Does not include purge lines.
14-2977-100	Sparger, 5ml fritted kit, 16 sets, for 3/4" mounts. Includes purge lines.
14-2978-000	Sparger, 25ml fritted kit, 16 sets, for 1/2" mounts. Does not include purge lines.
14-2978-100	Sparger, 25ml fritted kit, 16 sets, for 3/4" mounts. Includes purge lines.
14-2979-000	Sparger, 5ml fritless kit, 16 sets, for 1/2" mounts. Does not include purge lines.
14-2979-100	Sparger, 5ml fritless kit, 16 sets, for 3/4" mounts. Includes purge lines.
14-2980-000	Sparger, 25ml fritless kit, 16 sets, for 1/2" mounts. Does not include purge lines.
14-2980-100	Sparger, 25ml fritless kit, 16 sets, for 3/4" mounts. Includes purge lines.
14-2987-000	Tool, phillips screwdriver
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2991-000	Interface, HP 5890 GC
14-2993-000	Interface, HP 5995/96/85/87/88/92 GC/MS with HP-1000/RTE GC/MS Software.
14-2993-000	Interface, HP 5995/96/85/87/88/92 GC/MS with HP-1000/RTE GC/MS Software.
14-2993-000	Interface, HP 5995/96/85/87/88/92 GC/MS with HP-1000/RTE GC/MS Software.
14-2993-000	Interface, HP 5995/96/85/87/88/92 GC/MS with HP-1000/RTE GC/MS Software.
14-2993-000	Interface, HP 5995/96/85/87/88/92 GC/MS with HP-1000/RTE GC/MS Software.
14-2993-000	Interface, HP 5995/96/85/87/88/92 GC/MS with HP-1000/RTE GC/MS Software.
14-2993-000	Interface, HP 5995/96/85/87/88/92 GC/MS with HP-1000/RTE GC/MS Software.
14-2993-000	Interface, HP 5995/96/85/87/88/92 GC/MS with HP-1000/RTE GC/MS Software.
14-3027-000	6-port actuator, cable
14-3043-034	Fuse, 8.0 Amp (rectifier)
14-3071-016	Union, 1/16" gold-plated, Valco
14-3093-100	Sparger, 25ml fritless, kit
14-3094-100	Sparger, 5ml fritless, kit



14-3233-000	Interface, Perkin-Elmer 8000 Series/Autosystem, Clarus.
14-3233-000	Interface, Perkin-Elmer 8000 Series/Autosystem, Clarus.
14-3233-200	PE Clarus 500 Interface Cable
14-3233-200	PE Clarus 500 Interface Cable
14-3233-200	PE Clarus 500 Interface Cable
14-3233-200	PE Clarus 500 Interface Cable
14-3233-200	PE Clarus 500 Interface Cable
14-3233-200	PE Clarus 500 Interface Cable
14-3233-200	PE Clarus 500 Interface Cable
14-3295-016	Nut, 1/16", male, SS, Swagelok
14-3295-016	Nut, 1/16", male, SS, Swagelok
14-3295-016	Nut, 1/16", male, SS, Swagelok
14-3295-016	Nut, 1/16", male, SS, Swagelok
14-3295-016	Nut, 1/16", male, SS, Swagelok
14-3296-016	Nut, 1/16", SS, Swagelok, plug
14-3296-016	Nut, 1/16", SS, Swagelok, plug
14-3347-003	Trap, OV-1/Tenax, 12" x 1/8" (#7)
14-3347-003	Trap, OV-1/Tenax, 12" x 1/8" (#7)
14-3347-303	Trap, OV-1/Tenax (#7)
14-3347-403	Trap, OV-1. Tenax, #7 U Shape
14-3347-403	Trap, OV-1. Tenax, #7 U Shape
14-3354-016	Nut, 1/2" Knurled Swagelok
14-3354-016	Nut, 1/2" Knurled Swagelok
14-3354-016	Nut, 1/2" Knurled Swagelok
14-3404-016	Union, 1/16", SS w/o ferrules
14-3581-220	Mount heater, cartridge, 1/4", 120V (from S/N 88200001)
14-3595-053	Sample needle, 7.75", for 5ml frit/fritless sparger
14-3595-053	Sample needle, 7.75", for 5ml frit/fritless sparger
14-3595-253	Sample needle, 8.25", for 5ml frit/fritless sparger with a sample mount heater
14-3599-100	Sparger, 5ml needle, kit
14-3600-100	Sparger, 25ml needle, kit
14-3601-000	Sparger, 5ml needle kit, 16 sets, for 1/2" mounts
14-3602-000	Sparger, 25ml needle kit, 16 sets, for 1/2" mounts
14-3646-000	Thermocouple clip
14-3741-000	Set-up and familiarization of above equipment if installed at the same time. Price determined by proximity to nearest service center.
14-3823-000	Septa, Low Bleed, 40ML, Sample Vial, 72/PK
14-3916-024	Vial kit, 40ml, pre-cleaned, 72 vials (including cap and septa)
14-3916-024	Vial kit, 40ml, pre-cleaned, 72 vials (including cap and septa)
14-3928-003	Trap, Carbo B/Carbo S (#8)
14-3928-003	Trap, Carbo B/Carbo S (#8)
14-3928-303	Trap, Carbo B/Carbo S (#8)
14-3928-403	Strat-Trap, Carbo B/Carbo S, (#8)
14-3928-403	Strat-Trap, Carbo B/Carbo S, (#8)
14-3938-000	External regulator assembly. Required when interfacing to any type of Mass Selective Detector and a cryofocusing module. (Must bypass flow controller when using MSD) when flow rates are under 1ml/min.
14-3938-000	External regulator assembly. Required when interfacing to any type of Mass Selective Detector and a cryofocusing module. (Must bypass flow controller when using MSD) when flow rates are under 1ml/min.
14-3938-000	External regulator assembly. Required when interfacing to any type of Mass Selective Detector and a cryofocusing module. (Must bypass flow controller when using MSD) when flow rates are under 1ml/min.
14-3938-000	External regulator assembly. Required when interfacing to any type of Mass Selective Detector and a cryofocusing module. (Must bypass flow controller when using MSD) when flow rates are under 1ml/min.
14-3938-000	External regulator assembly. Required when interfacing to any type of Mass Selective Detector and a cryofocusing module. (Must bypass flow controller when using MSD) when flow rates are under 1ml/min.
14-3940-000	Pressure gauge, 0-30 psi

14-3940-000	Pressure gauge, 0-30 psi
14-3979-016	Ferrule, reducing, 1/4"-1/16", teflon
14-4006-024	Sparger, 5mL frit w/ side arm (glassware only)
14-4006-024	Sparger, 5mL frit w/ side arm (glassware only)
14-4006-024	Sparger, 5mL frit w/ side arm (glassware only)
14-4006-024	Sparger, 5mL frit w/ side arm (glassware only)
14-4006-024	Sparger, 5mL frit w/ side arm (glassware only)
14-4006-124	Sparger kit, 5ml frit w/ side-arm, for 3100/3000/2000/HP7695
14-4006-224	Sparger kit, 5 ml frit w/ side-arm, Velocity XPT
14-4007-024	Sparger, 25mL frit w/ side arm (glassware only)
14-4007-024	Sparger, 25mL frit w/ side arm (glassware only)
14-4007-024	Sparger, 25mL frit w/ side arm (glassware only)
14-4007-024	Sparger, 25mL frit w/ side arm (glassware only)
14-4007-024	Sparger, 25mL frit w/ side arm (glassware only)
14-4007-124	Sparger kit, 25ml frit w/ side-arm, for 3100/3000/2000/HP7695
14-4007-224	Sparger kit, 25 mL frit w/ side-arm, Velocity XPT
14-4007-224	Sparger kit, 25 mL frit w/ side-arm, Velocity XPT
14-4007-224	Sparger kit, 25 mL frit w/ side-arm, Velocity XPT
14-4024-010	Nut, 4-40 nylon locking
14-4045-003	Trap, GLT, Tenax (G1)
14-4045-003	Trap, GLT, Tenax (G1)
14-4045-303	Trap, glass-lined, Tenax (G1)
14-4046-003	Trap, GLT, Tenax/Silica gel (G2)
14-4046-003	Trap, GLT, Tenax/Silica gel (G2)
14-4046-303	Trap, glass-lined, Tenax/Silica gel(G2)
14-4047-003	Trap, GLT, Tenax/Silica gel/charcoal (G3)
14-4047-003	Trap, GLT, Tenax/Silica gel/charcoal (G3)
14-4047-303	Trap, glass-lined, Tenax/Silica gel/Charcoal (G3)
14-4048-079	Replacement inserts for 9 or 12ml vials (ea)
14-4048-079	Replacement inserts for 9 or 12ml vials (ea)
14-4050-016	Ferrule, 1/8 Fitt 1/8 Tube GVF
14-4050-016	Ferrule, 1/8 Fitt 1/8 Tube GVF
14-4050-016	Ferrule, 1/8 Fitt 1/8 Tube GVF
14-4050-016	Ferrule, 1/8 Fitt 1/8 Tube GVF
14-4050-016	Ferrule, 1/8 Fitt 1/8 Tube GVF
14-4083-026	Thermo couple probe (platen heater)
14-4092-000	6mm purge tube kit, 150mm long, 16 sets, for 3/4" mounts
14-4094-000	Disposable soil kit, 150mm long, 16 sets, for 3/4" mounts
14-4164-003	Trap, GLT, blank
14-4164-303	Trap, glass-lined blank (G0)
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.



14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.
14-4188-086	Interface, HP 5890 w/5970 MSD and Unix or Pascal based software. Note: This cable requires the HP A111 (HP P/N 05990-60111) or A211 (HP P/N 05990-60211) accessory card and internal accessory cable (HP P/N 05987-60158) if using the Pascal software. If using Unix software the internal accessory cable (HP P/N 05987-60158) only is necessary.
14-4261-016	Cross, 1/8" Union Brass Aps.
14-4261-016	Cross, 1/8" Union Brass Aps.
14-4262-080	Clip, transfer line
14-4306-150	Valve, 6-port, actuator with boards
14-4311-120	Heater, 3/8" x 3" lg Assy, for platen
14-4314-200	Valve oven cover assembly
14-4323-000	Platen drive motor assembly, requires Rev E or newer motor control board
14-4323-200	Platen drive motor assembly with motor control board Rev D or older
14-4333-000	Instruction manual
14-4362-000	Installation kit for 2050W water bath
14-4362-000	Installation kit for 2050W water bath
14-4365-027	Insert removal tool for 9ml or 12ml insert
14-4366-001	Screw, 1/4" - 20 x 5, round head
14-4377-019	Fan, Assy (12 VDC) platen heater exchanger
14-4378-019	Fan, Assy (12 VDC) rear panel
14-4380-150	Valve, assy 2-port, vent, (12 VDC)
14-4381-050	Valve, pressure, 2-port, (12 VDC)
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4383-028	Switch, Power, 10 AMP Filtered use Delta
14-4385-043	Butyl rubber septa without teflon face. For 20mm top headspace vials, 125 per pack. Recommended for temperatures up to 100 degrees C. Color coded grey.
14-4385-043	Butyl rubber septa without teflon face. For 20mm top headspace vials, 125 per pack. Recommended for temperatures up to 100 degrees C. Color coded grey.





14-4652-086	Interface, HP 5890 w/5970 MSD and Unix-B or MS-DOS software, HP 5890/5971/5972 MSD and Unix-B or MS-DOS software and HP 5890/5989 MS Engine
14-4652-086	Interface, HP 5890 w/5970 MSD and Unix-B or MS-DOS software, HP 5890/5971/5972 MSD and Unix-B or MS-DOS software and HP 5890/5989 MS Engine
14-4652-086	Interface, HP 5890 w/5970 MSD and Unix-B or MS-DOS software, HP 5890/5971/5972 MSD and Unix-B or MS-DOS software and HP 5890/5989 MS Engine
14-4652-086	Interface, HP 5890 w/5970 MSD and Unix-B or MS-DOS software, HP 5890/5971/5972 MSD and Unix-B or MS-DOS software and HP 5890/5989 MS Engine
14-4661-079	Carrousel collar, 22ml vials
14-4674-080	Bracket, expansion slot cover
14-4695-016	Tee, 1/16" Brass
14-4695-016	Tee, 1/16" Brass
14-4695-016	Tee, 1/16" Brass
14-4695-016	Tee, 1/16" Brass
14-4738-028	Switch, interlock safety for trays
14-4793-029	Cable, 25 Cond. M/F (external cable)
14-4793-186	Interface cable, AQUATek 70 to 3000/3100
14-4814-000	LN(2) tank adapter kit
14-4814-000	LN(2) tank adapter kit
14-4814-000	LN(2) tank adapter kit
14-4814-000	LN(2) tank adapter kit
14-4815-026	TC, .06 x 6" Probe, 27.5
14-4824-116	Union, reducing 3/4" x 1/2"
14-4825-024	Sparger, 5ml fritless, for 3000/2000/HP7695 (glassware only)
14-4825-024	Sparger, 5ml fritless, for 3000/2000/HP7695 (glassware only)
14-4825-124	Sparger kit, 5ml fritless w/ side-arm, for 3100/3000/2000/HP7695
14-4825-224	Sparger kit, 5 ml fritless w/ side-arm, Velocity XPT
14-4826-024	Sparger, 25ml fritless, for 3000/2000/HP7695 (glassware only)
14-4826-024	Sparger, 25ml fritless, for 3000/2000/HP7695 (glassware only)
14-4826-124	Sparger kit, 25ml fritless w/ side-arm, for 3100/3000/2000/HP7695
14-4826-224	Sparger kit, 25 mL fritless w/ side-arm, Velocity XPT
14-4826-224	Sparger kit, 25 mL fritless w/ side-arm, Velocity XPT
14-4826-224	Sparger kit, 25 mL fritless w/ side-arm, Velocity XPT
14-4830-086	Interface, 2 HT3 to one HP 5890 (GC only).
14-4840-086	Cable, platen encoder board
14-4844-086	Cable, microprocessor
14-4845-027	Tool, wrench 1/4"-5/16"
14-4846-027	Tool, wrench 7/16"-1/2"
14-4847-027	Tool, 5/16" blade screwdriver
14-4863-027	Hand crimper for 20mm top headspace vials
14-4863-027	Hand crimper for 20mm top headspace vials
14-4863-027	Hand crimper for 20mm top headspace vials
14-4864-027	Tool, decapper 20mm neck
14-4864-027	Tool, decapper 20mm neck
14-4864-027	Tool, decapper 20mm neck
14-4865-027	Crimp station, 20mm top headspace vials. Includes 20mm jaw set
14-4865-027	Crimp station, 20mm top headspace vials. Includes 20mm jaw set
14-4865-027	Crimp station, 20mm top headspace vials. Includes 20mm jaw set
14-4866-027	Rack holder, vial, for 10 headspace vials
14-4866-027	Rack holder, vial, for 10 headspace vials
14-4866-027	Rack holder, vial, for 10 headspace vials
14-4869-067	Loop, sample, 500ul
14-4870-067	Loop, sample, 250ul
14-4871-027	Tool, nut driver
14-4872-075	ROM, with program 7000, Version 1.32
14-4883-067	Loop, sample, 100ul
14-4884-086	Cable, carrousel (internal ribbon cable)

14-4891-000	Dust cover assembly, 7050
14-4896-031	Knob, clamp (for 50 position deck 7050)
14-4897-050	Regulator, Pressure, with 1/8" Elbow Fittings, 100 psi max
14-4900-000	Vent restrictor assembly
14-4900-167	Internal vent restrictor assembly
14-4913-153	Septum needle adapter kit, Varian 1040/1041 packed injection port
14-4913-153	Septum needle adapter kit, Varian 1040/1041 packed injection port
14-4913-253	Septum needle adapter kit, HP 5890A, 6890, capillary injection port
14-4913-253	Septum needle adapter kit, HP 5890A, 6890, capillary injection port
14-4913-353	Septum needle adapter kit, HP 5880A, 5890A and 6890 packed injection port
14-4913-453	Septum needle adapter kit, Varian SPI 1075/1077 and Tracor 540 injection ports
14-4913-453	Septum needle adapter kit, Varian SPI 1075/1077 and Tracor 540 injection ports
14-4913-553	Septum needle adapter kit, Perkin Elmer, all Sigma Series, all 8000 Series, and autosystem injection ports
14-4913-553	Septum needle adapter kit, Perkin Elmer, all Sigma Series, all 8000 Series, and autosystem injection ports
14-4913-653	Septum needle adaptor kit, Shimadzu 9A, 14A and 17A packed injection ports
14-4919-267	Silco coated sample loop, 2 ml
14-4924-067	Loop, sample, 1ml
14-4924-267	Silco coated sample loop, 1 ml
14-4925-050	Flow element, 1-10 cc/min. For precise regulation of .1-.32 I.D. Capillary column flow rates. Installed in instrument vial needle flow controller. Color coded blue. (Recommended for use with septum needle adapter operated in the capillary splitless mode or cap-on-column mode.)
14-4926-050	Flow element, 6-60 cc/min. For precise regulation of 1/8" - 1/4" packed column flow rates. Installed in transfer line flow controller. Color coded red. (Recommended for use with septum needle adapter operations with packed inlet port and packed injectors with mega bore column.)
14-4928-050	Flow element, 40-400 cc/min. Color coded black. (Recommended for use in applications with high (>100 cc/min) standby flows.)
14-4936-050	Flow element, 0-25 cc/min. For precise regulation of .53-.75 I.D. Capillary column flow rates. Color coded red with silver dot.
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4938-086	Interface, Carlo Erba Mega and Vega Series/Fisons 8000
14-4939-303	Trap, glass-lined, 1/8" Tenax/Charcoal
14-4944-067	Loop, sample, 2ml
14-4944-167	Polar sample loop, 2ml
14-4945-067	Loop, sample, 3ml
14-4946-067	Loop, sample, 5ml
14-4957-138	Transformer Assy (220V)
14-4957-238	Transformer assy, 220V-110V
14-4958-086	Cable, power module to interconnect board
14-4960-034	8 amp fuse, 250V, GDB, 5 x 20 mm
14-4961-034	4.0 amp fuse, 5 x 20 mm, 230V
14-4961-034	4.0 amp fuse, 5 x 20 mm, 230V
14-4966-090	PCB, BCD interface board
14-4974-050	Flow controller, 0-60cc/min.
14-4983-253	Needle, 19 GA, 2.527 Lg, Silco coated
14-5009-043	Septum replacement, septum needle adapter, 5 ea
14-5019-100	Disposable soil kit, 150mm long, 16 sets, 1/2" to 3/4" adapter for 1/2" mount
14-5020-027	Crimp station, air powered
14-5020-027	Crimp station, air powered

14-5020-027	Crimp station, air powered
14-5026-050	Pressure regulator valve, 1/16" fitting, 0-60 psi
14-5026-050	Pressure regulator valve, 1/16" fitting, 0-60 psi
14-5026-050	Pressure regulator valve, 1/16" fitting, 0-60 psi
14-5028-039	220V Power Cable
14-5028-039	220V Power Cable
14-5028-039	220V Power Cable
14-5028-039	220V Power Cable
14-5028-039	220V Power Cable
14-5036-010	Septum nut, HP 5890A capillary injection port
14-5036-110	Septum nut, HP 5890A packed injection port
14-5045-000	Variable Injection Pressure Regulator (VIPR). Controls injection pressure for enhanced sensitivity.
14-5083-000	Insert kit for using 9 or 12ml vials. Includes 12 inserts, carousel collar and insert removal tool.
14-5092-100	Installation kit, Tekmar 3100/3000. Includes 5ml syringe with luer, 10ul syringe, and a 3/8" wrench.
14-5092-200	Installation Kit, Includes 5ml syringe with luer, 10 ul syringe and sample mount wrench.
14-5093-000	Installation kit. Includes 40-400cc/min flow element, 1/8" - 1/16" reducing union, five feet 1/16" nickel tubing, nine feet 1/8" copper tubing, 1/16" stainless steel union, 1/8" brass tee, 1/8" brass union, vial crimper, five 1/2" wire ties, and special tools for installation.
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-086	RS232 Cable Assembly (included with unit)
14-5107-186	RS232 interface cable, 12 ft. (9 pin to 9 pin) for 7000
14-5118-100	Solvent flush kit, 3000/3100
14-5119-100	Test tube adapter, soil sampler kit, 1/2" - 3/4", single position, 1/2"
14-5162-000	Mixer elevator assembly, requires Rev E or newer motor control board
14-5162-200	Mixer elevator assembly with motor control board Rev D or older
14-5167-000	Elevator sampler assembly, requires Rev E or newer motor control board
14-5167-200	Elevator sampler assembly with motor control board Rev D or older
14-5175-000	Elevator loader assembly, requires Rev E or newer motor control board
14-5175-200	Elevator loader assembly with motor control board Rev D or older
14-5177-138	Transformer assembly (100v)
14-5177-238	Transformer assy, 100V-110V
14-5180-034	Fuse, 10A, 250V, 5x20mm, Slow Blow
14-5180-034	Fuse, 10A, 250V, 5x20mm, Slow Blow
14-5180-034	Fuse, 10A, 250V, 5x20mm, Slow Blow
14-5180-034	Fuse, 10A, 250V, 5x20mm, Slow Blow
14-5180-034	Fuse, 10A, 250V, 5x20mm, Slow Blow
14-5180-034	Fuse, 10A, 250V, 5x20mm, Slow Blow
14-5186-053	Soil needle, 7.75", for 5ml needle sparger
14-5186-353	Soil needle, 9.50", for 20/25ml needle sparger on 2016 and for disposable sample tubes configured with 1/2" mounts and 3/4" adapters.
14-5186-453	Soil needle, 10.25", for 20/25ml needle sparger
14-5194-016	Bulkhead, 1/8"-1/8", tube stub, SS
14-5229-002	Tubing, 1/16", nickel, large bore, (price/foot), 10ft lengths (purge side)
14-5229-002	Tubing, 1/16", nickel, large bore, (price/foot), 10ft lengths (purge side)
14-5229-002	Tubing, 1/16", nickel, large bore, (price/foot), 10ft lengths (purge side)
14-5233-090	Micro controller
14-5233-090	Micro controller
14-5235-090	Communications/interface board
14-5235-090	Communications/interface board

14-5258-016	Ferrule, 0.6-0.8mm O.D. adapter, fused silica
14-5258-016	Ferrule, 0.6-0.8mm O.D. adapter, fused silica
14-5259-016	Ferrule, 0.5mm O.D., adapter, fused silica
14-5259-016	Ferrule, 0.5mm O.D., adapter, fused silica
14-5260-700	Terminal kit, soft key hand-held, Via RS232
14-5270-000	Sparger, 20ml needle kit, 16 sets, for use with silicone tube heater, for 1/2" mounts
14-5284-290	Memory board
14-5285-367	Loop, MCS, 600-650ul SilcoSteel
14-5291-038	Transformer, 115V
14-5293-020	Cryotrap heater assembly, internal
14-5297-191	Panel display, front, LCD
14-5298-050	Valve assembly w/actuator, 6-port
14-5298-150	Actuator 6-port valve 3000/3100/6000
14-5299-120	Heater assembly, bottom
14-5302-016	Bulkhead elbow, 1/8" - 1/16", SS
14-5302-016	Bulkhead elbow, 1/8" - 1/16", SS
14-5302-116	Bulkhead, 1/8" - 1/16" Silcosteel®
14-5307-120	Transfer line assembly, heated, (72")
14-5311-080	Expansion slot cover
14-5312-090	Interconnect board
14-5315-090	Thermocouple board
14-5315-190	Thermocouple board
14-5329-090	PCB, Autosampler Logic Board for 3000/3100/6000. This card is required if a 3000/3100/6000 unit is going to be interfaced to a 2016/2032/6016/6032 Autosampler that was previously installed to a 2000 system.
14-5329-090	PCB, Autosampler Logic Board for 3000/3100/6000. This card is required if a 3000/3100/6000 unit is going to be interfaced to a 2016/2032/6016/6032 Autosampler that was previously installed to a 2000 system.
14-5330-090	PCB, Cryofocusing Logic Board for 3000/3100/6000/ACAN. This card is required if a 3000/3100/6000 unit is going to be interfaced to a Cryofocusing Module (NOTE: If the Cryofocusing Module is prior to serial number 91046014 contact Technical Support to confirm proper configuration) that was previously installed to a 2000/7000 system.
14-5330-090	PCB, Cryofocusing Logic Board for 3000/3100/6000/ACAN. This card is required if a 3000/3100/6000 unit is going to be interfaced to a Cryofocusing Module (NOTE: If the Cryofocusing Module is prior to serial number 91046014 contact Technical Support to confirm proper configuration) that was previously installed to a 2000/7000 system.
14-5330-090	PCB, Cryofocusing Logic Board for 3000/3100/6000/ACAN. This card is required if a 3000/3100/6000 unit is going to be interfaced to a Cryofocusing Module (NOTE: If the Cryofocusing Module is prior to serial number 91046014 contact Technical Support to confirm proper configuration) that was previously installed to a 2000/7000 system.
14-5330-190	PC board assy, Cryo card w/split valve (for 14-ACAN-000 and 14-ACAN-200)
14-5386-016	Fitting, sample mount, unheated 1/2"
14-5386-016	Fitting, sample mount, unheated 1/2"
14-5389-019	Fan guard
14-5393-490	3100 Memory Card required for 3100 (with ROM Version 5.16 or less) for SOLATek 72/AQUATek 70 Installations
14-5397-086	Interface, two Tekmars on one Perkin-Elmer 8000 Series/Autosystem
14-5397-086	Interface, two Tekmars on one Perkin-Elmer 8000 Series/Autosystem
14-5397-086	Interface, two Tekmars on one Perkin-Elmer 8000 Series/Autosystem
14-5397-086	Interface, two Tekmars on one Perkin-Elmer 8000 Series/Autosystem
14-5397-086	Interface, two Tekmars on one Perkin-Elmer 8000 Series/Autosystem
14-5397-086	Interface, two Tekmars on one Perkin-Elmer 8000 Series/Autosystem
14-5397-086	Interface, two Tekmars on one Perkin-Elmer 8000 Series/Autosystem
14-5408-050	0-144 cc/min flow element. Color coded silver w/red dot. (Recommended for use when GC pneumatics are regulating carrier flow to the column or with septum needle adapter in the capillary split mode.)
14-5439-080	Display cover, front panel
14-5484-034	Fuse, 8 amp, 5 x 20mm, 250 V, Type T

14-5484-034	Fuse, 8 amp, 5 x 20mm, 250 V, Type T
14-5514-080	Tee locator bracket
14-5522-050	Flow controller, 0-100 cc/min.
14-5522-150	Flow controller, 1/8" fittings, 0-100 mL/min
14-5524-219	Fan assembly
14-5524-319	Fan assembly, 3 1/8" SQ 11" leads
14-5525-019	Blower assembly
14-5526-150	Valve assembly drain, 12VDC, 1/8" fittings
14-5527-050	Bypass valve, sample
14-5528-086	Cable for hand-held controller
14-5529-050	Gas valve, sweep
14-5530-050	Vent valve
14-5531-000	E-form option kit. Recommended for VOCs in water/soil analysis. Includes tubing and fittings for transfer line, sample pathway, 1ml E-form sample loop and E-slider for six port valve.
14-5540-002	Electroform tubing, 0.06" OD, 0.04" ID (per foot)
14-5541-167	E-form sample loop 1ml
14-5542-167	E-form sample loop 2ml
14-5544-167	E-form sample loop 250ul
14-5545-167	E-form sample loop kit, 500ul
14-5555-026	Thermocouple, type K 16" (oven)
14-5558-086	Cable, 6 pin modular, coiled
14-5573-050	Rotor, E-type, for 6-port valve
14-5606-167	E-form sample loop kit, 250ul, 500ul, 2ml. For use with pharmaceutical & environmental samples.
14-5624-016	Ferrule, 1/4" to 1/8" reducing
14-5624-016	Ferrule, 1/4" to 1/8" reducing
14-5634-100	TC extension, trap 25"
14-5634-200	TC extension, BOT 13"
14-5634-300	TC extension, trap 25"
14-5634-500	Cable display, 21"
14-5634-600	Wiring kit, main, 110V
14-5634-700	Power lead, trap 25"
14-5653-367	Loop, MCS, 450-500ml, SilcoSteel
14-5654-120	MCS heater assembly
14-5654-220	MCS heater assembly(220V)
14-5661-016	Pencil Filter, Filter Flow Module
14-5661-016	Pencil Filter, Filter Flow Module
14-5661-016	Pencil Filter, Filter Flow Module
14-5663-016	Ferrule, 1/16", teflon, 1 piece (for needle in mount)
14-5663-016	Ferrule, 1/16", teflon, 1 piece (for needle in mount)
14-5665-034	Fuse, Slow Blow, 5AMP, 250V, 5 X 20 MM
14-5665-034	Fuse, Slow Blow, 5AMP, 250V, 5 X 20 MM
14-5665-034	Fuse, Slow Blow, 5AMP, 250V, 5 X 20 MM
14-5665-034	Fuse, Slow Blow, 5AMP, 250V, 5 X 20 MM
14-5665-034	Fuse, Slow Blow, 5AMP, 250V, 5 X 20 MM
14-5675-150	Assembly, pressure regulator, 3100
14-5681-102	Purge line assembly
14-5682-202	Drain line assembly, 3100
14-5684-000	Sample valve, 3-port assembly
14-5685-016	Union, 1/16" brass
14-5686-016	Bulkhead, 1/8"-1/16" SS, with filter
14-5686-116	Top of trap fitting, nickel plated
14-5686-216	Top of trap fitting, silcosteel® coated
14-5687-020	Cartridge heater, valve oven
14-5687-020	Cartridge heater, valve oven
14-5691-079	Valve oven plate
14-5716-050	Valve, assembly, HRP 12 VDC
14-5717-020	Heater assembly, trap
14-5717-120	Heater assembly, TURBOCool trap, 3000/3100



14-5718-020	Heater assembly, bottom of trap
14-5731-076	TekLink 7000 Instrument Control Software w/o ROM. Includes TekLink 7000 software, (1) 3.5" diskette, 12 ft. (9 pin to 9 pin) RS232 cable, 9 pin to 25 pin cable adapter and instruction manual.
14-5732-076	TekLink 7000 Instrument Control Software with ROM upgrade. Includes TekLink 7000 software, (1) 3.5" diskette and (1) 5.25" floppy, 12 ft. (9 pin to 9 pin) RS232 cable, 9 pin to 25 pin cable adapter, latest version 7000 ROM and instruction manual.
14-5736-000	Heater, pocket, automatic assembly, 1 pos. (for 3100/3000)
14-5736-100	Heater, tube, automatic assembly, 1 pos. (for 3100/3000)
14-5737-020	Pocket heater (spare part)
14-5737-120	Tube heater (spare part)
14-5740-058	Output module
14-5745-090	Serial port expansion board for PC (required if your computer has no available serial ports)
14-5745-090	Serial port expansion board for PC (required if your computer has no available serial ports)
14-5745-090	Serial port expansion board for PC (required if your computer has no available serial ports)
14-5745-090	Serial port expansion board for PC (required if your computer has no available serial ports)
14-5747-035	Gender adapter, 9 pin male to 25 pin female
14-5747-035	Gender adapter, 9 pin male to 25 pin female
14-5749-090	Output board/power (must have ROM 2.0 or greater)
14-5757-034	Fuse, 4amp, sub-min, fast for output module
14-5757-034	Fuse, 4amp, sub-min, fast for output module
14-5773-016	Ferrule, 1/8", Gold Plated for Top of Trap
14-5773-016	Ferrule, 1/8", Gold Plated for Top of Trap
14-5778-050	Valve, needle (TPC) 1/16" tube
14-5779-026	Oven thermocouple, .062 DIA x 38" long
14-5779-026	Oven thermocouple, .062 DIA x 38" long
14-5803-090	Power supply board, 70W
14-5813-234	Fuse, 10 amp
14-5818-043	Silicon rubber/teflon face septa. For 20mm top headspace vials, 125 per pack. Included with instrument shipment. (Recommended for temperatures over 100 degrees C. Color coded tan.)
14-5818-043	Silicon rubber/teflon face septa. For 20mm top headspace vials, 125 per pack. Included with instrument shipment. (Recommended for temperatures over 100 degrees C. Color coded tan.)
14-5818-043	Silicon rubber/teflon face septa. For 20mm top headspace vials, 125 per pack. Included with instrument shipment. (Recommended for temperatures over 100 degrees C. Color coded tan.)
14-5833-190	Pressure transducer assembly
14-5864-003	Trap, VOCARB 3000
14-5864-003	Trap, VOCARB 3000
14-5864-303	Trap, VOCARB 3000™
14-5864-403	Strat-Trap, Vocarb 3000
14-5864-403	Strat-Trap, Vocarb 3000
14-5865-003	Trap, VOCARB 4000
14-5865-003	Trap, VOCARB 4000
14-5865-303	Trap, VOCARB 4000™
14-5865-403	Strat-Trap, Vocarb 4000
14-5865-403	Strat-Trap, Vocarb 4000
14-5866-003	Trap, BTEX
14-5866-003	Trap, BTEX
14-5866-303	Trap, BTEX™
14-5866-403	Strat-Trap, BTEX
14-5866-403	Strat-Trap, BTEX
14-5869-002	Support tube, fused silica transfer line 2.5"lg
14-5882-034	Fuse, 2 pico amp

14-5957-050	Mass flow controller assembly
14-5959-100	3100 desorber kit, 7" x 1/4", for stainless steel traps 7" long by 1/4" O.D. stainless steel traps. Includes trap heater, two blank traps, and adapters for installation in Tekmar 3100. (See AEROTrap 6000 spare parts price list for additional 1/4" sample tubes). Need (2) additional 6mm ferrules (P/N 14-4482-016) to work with 6mm O.D. sample tubes.
14-5977-086	Cable, mass flow controller to data acquisition system
14-6000-217	Shipping carton with foam, M3000/3100/6000
14-6011-102	MCS jumper, Silcosteel®, with fittings, 3000
14-6011-302	MCS jumper, Silcosteel®, with fittings, 3100
14-6058-002	Polar option kit with 1ml loop. Recommended for alcohol, sulfur, nitrogen and phosphorous compounds only. Includes loop, sample path tubing, fittings, transfer line tubing, E-valve rotor.
14-6058-102	Polar option kit with 1/2ml loop. Recommended for alcohol, sulfur, nitrogen and phosphorous compounds only. Includes loop, sample path tubing, fittings, transfer line tubing, E-valve rotor.
14-6058-702	Silcosteel option kit with 1 ml loop. Recommended for polar and nonpolar compounds. Includes loop, sample path tubing, fittings, large bore transfer line tubing, and E-valve rotor.
14-6058-802	Silcosteel option kit with 2 ml loop. Recommended for polar and nonpolar compounds. Includes loop, sample path tubing, fittings, large bore transfer line tubing, and E-valve rotor.
14-6085-002	Silco Steel .02" ID transfer line (price/foot) (Requires also (2) of P/N 14-0241-016.)
14-6085-002	Silco Steel .02" ID transfer line (price/foot) (Requires also (2) of P/N 14-0241-016.)
14-6104-002	Tubing, transfer line, Silcosteel (per foot), .040 x 1/16"
14-6104-002	Tubing, transfer line, Silcosteel (per foot), .040 x 1/16"
14-6104-002	Tubing, transfer line, Silcosteel (per foot), .040 x 1/16"
14-6104-002	Tubing, transfer line, Silcosteel (per foot), .040 x 1/16"
14-6104-002	Tubing, transfer line, Silcosteel (per foot), .040 x 1/16"
14-6106-090	Power board assembly, 120V
14-6106-090	Power board assembly, 120V
14-6106-190	Power board assembly, 220V
14-6107-090	Control board, Cryo
14-6107-090	Control board, Cryo
14-6108-100	Sample mount heater kit
14-6108-120	Heated Silcosteel® sample mount
14-6108-120	Heated Silcosteel® sample mount
14-6150-024	Standard vessel with UV coating, 0.330" ID
14-6150-024	Standard vessel with UV coating, 0.330" ID
14-6154-350	6 port control box only
14-6216-016	Fitting, Union, 1/16", 4-way
14-6216-216	Union, 5 way
14-6216-316	Fitting, union, 1/16", Silcosteel® 4-way
14-6226-000	Pressure gauge, 0-30 psi
14-6226-000	Pressure gauge, 0-30 psi
14-6255-100	Power supply, single output, 24VDC, 4A, after S/N US01214008
14-6255-200	Power supply, single output, 24 VDC, 4A, after S/N US01214008
14-6292-350	Controller Box, Valve, 6 Port, Velocity
14-6292-350	Controller Box, Valve, 6 Port, Velocity
14-6412-016	Nut, male, stainless steel, 1/16", 1.5" long, SS
14-6412-016	Nut, male, stainless steel, 1/16", 1.5" long, SS
14-6417-002	Tygon tubing, 5/16" OD, 3/16" ID (per foot)
14-6453-034	Fuse 4.0A, 5X20 MM T-4.0
14-6520-074	Cryofocusing Module instruction manual
14-6520-074	Cryofocusing Module instruction manual
14-6520-600	Cryofocusing Module, 115V
14-6544-019	Fan guard
14-6545-019	Fan, 12 VDC, 5.4 CFM

14-6551-006	Standoff, nylon, 6-32 - snap on
14-6555-020	Union heater assembly, does not include nuts & ferrules for transfer line or column.
14-6555-020	Union heater assembly, does not include nuts & ferrules for transfer line or column.
14-6556-004	Insulation, union base and cover
14-6558-028	Switch, 6 amp circuit breaker
14-6560-000	Power entry module with EMI filter
14-6566-082	HP 5890 GC mounting bracket
14-6567-001	Screw, M4 x 0.7 x 8 mm
14-6577-002	Pressure gauge tubing, 0.062" OD, 0.040" ID, 6" long
14-6577-002	Pressure gauge tubing, 0.062" OD, 0.040" ID, 6" long
14-6578-010	Nut
14-6579-043	O-ring .250OD
14-6650-220	Transfer Line heater, 100-115 VAC, 72" long
14-6650-320	Transferline heater Assy, 72" long, 230V
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-086	Interface, HP 6850, 6890, 7890 GC
14-6689-186	Interface, HP 6890 GC connected to MSD (Please note that all dip switches need to be up)
14-6712-016	Union, bulkhead, brass, 1/8"-1/6"
14-6747-050	Valco valve, 16-port
14-6747-150	Motor, 16 pos, Valco, AUTOCAN
14-6747-250	Valve body & rotor, 16 port
14-6747-350	Rotor, 16 port valve, AUTOCAN
14-6748-050	Valco valve, 8-port
14-6748-150	Motor, 8 pos, Valco, AUTOCAN
14-6748-250	Valve body with slider 8 port
14-6748-350	Rotor, 8 port valve, AUTOCAN
14-6750-050	Valve, 6-port, .030 ports, 24V
14-6750-150	6-port Valve Actuator
14-6750-250	6 port valve body with slider
14-6750-350	Rotor, 6 port valve, AUTOCAN
14-6751-020	Heated transfer line assembly
14-6752-020	Manifold assembly, left
14-6752-120	Manifold assembly, right
14-6752-420	Manifold, Lft, Siltek Before SN US06332
14-6752-520	Manifold, Rt, Siltek before SN US06332
14-6754-016	Union, bulkhead, 1/16" tower
14-6755-120	Cartridge heater oven assembly
14-6760-080	Canister support rack
14-6762-011	Leg leveler
14-6764-016	Fitting, 1/4"-1/16"
14-6765-003	Trap, 6", Carbopack B, 1/8"
14-6765-103	Tenax, 6" trap
14-6765-203	Carbo pack B trap, Carbosieve S III 1/8" x 6"
14-6765-303	Blank, 6" trap
14-6766-090	Output control board
14-6767-090	PCB assembly, Thermocouple
14-6780-000	Power supply assembly
14-6783-050	Pressure lock valve assembly
14-6783-050	Pressure lock valve assembly
14-6784-050	Line sweep valve assembly

14-6785-050	Line backflush valve assembly
14-6795-094	Molded cap tower
14-6805-090	Indicator panel assembly
14-6805-190	Status panel assembly
14-6810-002	Connection line assembly
14-6810-302	Assy, Line, After S/N US06332009
14-6811-094	End cap
14-6826-086	Cable assembly, indicator panel
14-6826-086	Cable assembly, indicator panel
14-6827-086	Cable assembly, pressure transducer
14-6828-086	Internal Cryo bracket to board cable assembly
14-6829-086	Cable assembly, mass flow controller
14-6855-000	Screw cap for 40ml vial, pkg of 24
14-6893-302	IS Restrictor loop w/ fittings (Solatek)
14-6893-402	IS flow restrictor, with fittings, Aquatek 70's after s/n US01312002
14-6893-502	IS flow restrictor, with fittings, Aquatek 70's before s/n US01312002
14-6916-020	Sample transfer heater
14-6924-019	Cooling fan assembly
14-6925-019	MCS fan assembly
14-6929-002	ISTD Can lines
14-6929-202	Lines, ISTD, Siltek After S/N US06332009
14-6929-302	Lines, ISTD, Siltek After S/N US06332009
14-6934-002	PEEK Tubing, 1/16" OD, Natural (per foot)
14-6934-002	PEEK Tubing, 1/16" OD, Natural (per foot)
14-6934-002	PEEK Tubing, 1/16" OD, Natural (per foot)
14-6934-002	PEEK Tubing, 1/16" OD, Natural (per foot)
14-6934-002	PEEK Tubing, 1/16" OD, Natural (per foot)
14-6934-002	PEEK Tubing, 1/16" OD, Natural (per foot)
14-6934-002	PEEK Tubing, 1/16" OD, Natural (per foot)
14-6934-002	PEEK Tubing, 1/16" OD, Natural (per foot)
14-6938-020	Trap heater assembly
14-6938-085	6-Port oven cover
14-6940-019	Fan guard
14-6945-085	Multiport valve, oven cover
14-7037-016	1/8" Flangless nut
14-7037-016	1/8" Flangless nut
14-7038-016	Bushing, Exit, 1/8" Tefzel, Short
14-7038-016	Bushing, Exit, 1/8" Tefzel, Short
14-7038-016	Bushing, Exit, 1/8" Tefzel, Short
14-7038-016	Bushing, Exit, 1/8" Tefzel, Short
14-7081-050	Backflush valve
14-7105-086	Cable, host, RS 232
14-7200-074	User Manual, SOLATek 72
14-7200-217	Shipping container-SOLATek 72
14-7200-kit	SOLATek kit box
14-7201-009	Washer, TEFLON
14-7201-009	Washer, TEFLON
14-7293-052	25ml sample syringe
14-7333-150	Assy, 3-way, drain valve
14-7333-250	Assy, 3-way, sample valve
14-7333-350	Assy, 3-way pressurize valve
14-7333-450	Assy, 3-way, transfer valve
14-7341-280	HP 6890 GC mounting bracket
14-7341-280	HP 6890 GC mounting bracket
14-7341-280	HP 6890 GC mounting bracket
14-7344-450	4-Port Syringe Valve, Ceramic w/ Fittings
14-7396-086	Interface, Varian 3800/3900
14-7396-086	Interface, Varian 3800/3900
14-7396-086	Interface, Varian 3800/3900
14-7396-086	Interface, Varian 3800/3900
14-7396-086	Interface, Varian 3800/3900

14-7396-086	Interface, Varian 3800/3900
14-7396-086	Interface, Varian 3800/3900
14-7396-086	Interface, Varian 3800/3900
14-7396-086	Interface, Varian 3800/3900
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-086	Trace 2000/Trace GC Ultra Interface cable w/ 1/16" to 2mm unions
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7397-186	Trace 2000/Trace GC Ultra Interface cable
14-7410-002	Small O.D. Silcosteel Tubing for transfer line, 0.021 x 0.029, (requires 14-7511-016 graphite vespel ferrules for installation)
14-7418-080	Foil backing, septa (pack of 125), required for high temperature vials.
14-7418-080	Foil backing, septa (pack of 125), required for high temperature vials.
14-7418-080	Foil backing, septa (pack of 125), required for high temperature vials.
14-7433-090	Assy, valve control board
14-7433-190	Assy, valve control board, 220V
14-7434-090	AQUATek 70 interface board. Required for all 3000's and 3100's
14-7482-053	AQUATek 70 Needle
14-7483-050	Valve, 4-port Hamilton valve (2ul)
14-7483-128	Assy, wiring harness, switch control
14-7483-150	Assy, 4-port Hamilton valve, 100V
14-7483-250	Assy, 4-port Hamilton valve, 220V
14-7486-086	Assy, wiring harness (AC)
14-7486-186	Assy, wiring harness (DC)
14-7487-086	Assy, wiring harness, heat control board
14-7487-090	Assy, heat control board
14-7488-120	Assy, water resv/htrs, 100/120Volts
14-7488-220	Assy, water resv/htrs, 220 volts
14-7491-067	5 ml sample loop, Teflon, AQUATek 70
14-7491-167	25 ml sample loop, Teflon, AQUATek 70
14-7491-267	20 ml sample loop, Teflon, AQUATek 70
14-7491-367	10 ml sample loop, Teflon, AQUATek 70
14-7494-157	Assy, LED, square .370 x .270, yellow
14-7500-016	1/8"-1/16" Teflon reducing ferrule
14-7510-102	Pre-column, Glass bead packed
14-7511-016	1.25 mm, 1/16" body graphite vespel ferrule, (ferrule used with the 14-7410-002 tubing)
14-7511-016	1.25 mm, 1/16" body graphite vespel ferrule, (ferrule used with the 14-7410-002 tubing)
14-7514-001	Plug, Flat Point Nylon, 1/4-28 X 1/4" LG
14-7518-016	Union, 1/16-1/16, flow restrictor, 500cc
14-7520-128	Assy, pressure switch, 1/8 NPT, 10-100psi, hot water tank
14-7520-128	Assy, pressure switch, 1/8 NPT, 10-100psi, hot water tank
14-7533-086	Assy, cable 25 pin, female
14-7534-086	Assy, cable, 9 pin, male

14-7558-034	Fuse, 1.0A, 5x20mm, time display
14-7603-050	Valve, 3-way toggle
14-7630-002	Tubing, 1/8" OD, Red, Translucent (per inch)
14-7630-002	Tubing, 1/8" OD, Red, Translucent (per inch)
14-7630-002	Tubing, 1/8" OD, Red, Translucent (per inch)
14-7630-002	Tubing, 1/8" OD, Red, Translucent (per inch)
14-7633-002	Tubing, 1/8" OD, Yellow, Translucent (per inch)
14-7634-002	Tubing, 1/8" OD, Blue, Translucent (per inch)
14-7634-002	Tubing, 1/8" OD, Blue, Translucent (per inch)
14-7634-002	Tubing, 1/8" OD, Blue, Translucent (per inch)
14-7634-002	Tubing, 1/8" OD, Blue, Translucent (per inch)
14-7634-002	Tubing, 1/8" OD, Blue, Translucent (per inch)
14-7644-000	SOLATek 72/AQUATek 70 external tap rinse kit. Includes activated carbon filter, fittings, copper tubing, saddle valve and pressure regulator assembly.
14-7645-000	SOLATek 72/AQUATek 70 rinse water reservoir kit. Includes 5 liter reservoir, activated carbon filter, copper tubing and fittings.
14-7656-000	Activated carbon filter assembly, blank water
14-7664-100	Pressurized Reservoir
14-7671-016	Ferrule, Super Flangeless, 1/16", PEEK
14-7671-016	Ferrule, Super Flangeless, 1/16", PEEK
14-7671-016	Ferrule, Super Flangeless, 1/16", PEEK
14-7671-016	Ferrule, Super Flangeless, 1/16", PEEK
14-7671-016	Ferrule, Super Flangeless, 1/16", PEEK
14-7682-051	Solid State Relay, 240 VAC, 25A, 0 Volt
14-7685-016	1/16" to 1/16" Valco, zero dead volume union
14-7686-016	1/16" to 1/32" adapter fitting for 1/32" tubing installation to the 6-port
14-7695-016	Nut, PEEK, Natural for 1/16" OD Tubing
14-7695-016	Nut, PEEK, Natural for 1/16" OD Tubing
14-7695-016	Nut, PEEK, Natural for 1/16" OD Tubing
14-7695-016	Nut, PEEK, Natural for 1/16" OD Tubing
14-7695-016	Nut, PEEK, Natural for 1/16" OD Tubing
14-7715-024	Amber vial kit 40 ml, precleaned 72 vials (including cap and septa).
14-7748-086	RS232 interface cable, 25 pin to 9 pin
14-7806-000	Assy, RTD (24") Temp Sensor for Soil Valve, Mount
14-7806-000	Assy, RTD (24") Temp Sensor for Soil Valve, Mount
14-7806-000	Assy, RTD (24") Temp Sensor for Soil Valve, Mount
14-7806-000	Assy, RTD (24") Temp Sensor for Soil Valve, Mount
14-7806-000	Assy, RTD (24") Temp Sensor for Soil Valve, Mount
14-7806-026	RTD assy, 1000 ohms, 0.125 X 1 LG., 24" leads (no connector) for cup
14-7806-100	Assy, RTD (28") Temp Sensor for Sample Heater
14-7806-200	Assy, RTD (34") Temp Sensor for Heated Water Reservoir
14-7824-280	Needle guard
14-7835-090	Temperature Control Board
14-7835-090	Temperature Control Board
14-7835-090	Temperature Control Board
14-7835-190	Temperature Control Board
14-7836-190	Motor Control Board
14-7837-090	Microprocessor (CPU) Board
14-7837-190	Microprocessor (CPU) Board
14-7837-590	Microprocessor (CPU) Board for Stratum
14-7837-690	CPU Board (for use with Stratum)
14-7837-690	CPU Board (for use with Stratum)
14-7837-690	CPU Board (for use with Stratum)
14-7838-190	Valve Control Board
14-7877-200	Robotic Arm Assembly w/ US Digital Encoders, s/n before US06349001
14-7882-179	Needle Mount Block
14-7887-279	Vial Tray 1-36
14-7888-279	Vial Tray 37-72
14-7890-053	Stainless steel needle, 3 stage
14-7916-000	Assy, Chiller, SOLATek 72 (does not include recirculating bath)

14-7946-179	Needle Gasket (rubber boot for needle)
14-7956-000	Geared elevator belt
14-7957-179	Calibration pad, tray
14-7958-179	Calibration pod, gripper
14-7977-000	Stepper motor assembly, mixer with screws
14-8001-086	AC input power cable
14-8002-086	DC power cable
14-8002-186	Cable, Assembly, DC Power Harness
14-8002-186	Cable, Assembly, DC Power Harness
14-8003-086	24 VDC power cable
14-8003-186	Cable, Assembly, 24 VDC.
14-8004-086	Modular CPU to Valve cable
14-8004-186	CPU to Valve Board cable, 24"
14-8004-286	CPU to Valve board cable, 10"
14-8004-386	Cable, Assembly, 6 lead Telephone line.
14-8005-086	IS valve ribbon cable, 20 pin
14-8006-086	IS valve ribbon cable, 30 pin
14-8007-186	Pumper power and signal cable (blue pumper)
14-8010-086	Cable assy, elevator sensors
14-8011-086	X encoder cable, for Red Encoder
14-8013-086	X motor cable
14-8014-086	Elevator motor cable
14-8017-086	AC to Solid State relay board cable
14-8018-086	Motor harness cable
14-8019-086	Elevator coil cable
14-8020-086	Temp to Solid State relay board cable
14-8020-086	Temp to Solid State relay board cable
14-8020-186	Cable Assy, Temp to SS relay ribbon
14-8021-086	Display cable
14-8031-090	Internal Standard Interconnect Board
14-8080-079	Calibration disk, elevator cup
14-8081-079	Flag, gripper sensor
14-8084-100	Elevator assembly (includes mixer motor)
14-8089-000	CPU display board (w/ ROM), Ver. 2.2
14-8089-075	ROM, with program 7000, Ver. 2.2
14-8089-090	CPU display board (w/o ROM)
14-8094-005	Gripper Liner
14-8094-200	Gripper Assembly
14-8105-120	Assy, Water reservoir/heaters, 110 V
14-8105-320	Assy, Water Reservoir/Heater 110V
14-8105-420	Assy, Water Reservoir/Heater 220V
14-8129-300	Sample Cup, Vial Mixing Assembly
14-8131-054	Spring, SS, 2.375 x .380 x .031TH (for stripper tab)
14-8142-026	Switch, cutout, elevator sideswitch
14-8143-000	X drive timing belt 75 pitch
14-8144-000	Belt, 4"ID, mixing hub
14-8147-000	IS assy, (including motors and valves)
14-8149-179	Sensor Flag, IS Assembly
14-8155-043	O-ring, Encoder (Dynapar)
14-8159-000	Assy, fan, 24 VDC
14-8163-000	Assy, IS motor (motor and connector only)
14-8191-000	Assy, lighted display
14-8191-000	Assy, lighted display
14-8196-079	Gripper shroud
14-8197-016	Fitting, Bulkhead, barbed, 0.25 ID tube
14-8235-000	Assy, cartridge heater, 115 VAC
14-8238-000	Assy, cartridge heater, 220V
14-8239-000	24 VDC, Gripper Motor Assembly (motor and connector only)
14-8240-000	Gripper, optical sensor
14-8241-000	Elevator, optical sensor

14-8250-000	Elevator motor assembly, 24 VDC, (motor and connector only)
14-8254-043	O-ring, 3-stage needle
14-8279-000	Assy, cartridge heater, mixing cup, 115 VAC
14-8280-000	Assy, cartridge heater, mixing cup, 220V
14-8311-050	Valve, 4-way IS, (Hamilton), 5 µL
14-8312-090	Power Supply, triple out, +5/+15/-15 VDC
14-8312-090	Power Supply, triple out, +5/+15/-15 VDC
14-8312-090	Power Supply, triple out, +5/+15/-15 VDC
14-8313-190	Power Supply, 24 VDC, 300W-Solatek Only
14-8313-190	Power Supply, 24 VDC, 300W-Solatek Only
14-8317-000	Valve, high-temperature 3-port, 24 VDC, soil valve
14-8317-100	Solid Valve Assy, Atomx
14-8318-150	3-port Series 66 Valve, 24 VDC
14-8318-150	3-port Series 66 Valve, 24 VDC
14-8319-052	250 µL dilution syringe
14-8354-000	Cryofocus trap heater assembly
14-8354-000	Cryofocus trap heater assembly
14-8389-157	Power/error LED assy (red square)
14-8390-086	Cable assy, SOLATEk 72 to 3000/3100/XPT/Stratum
14-8391-000	Thermal fuse assembly
14-8391-000	Thermal fuse assembly
14-8414-016	Quick disconnect body (reservoir lid side)
14-8415-016	Quick disconnect STE ( tubing side)
14-8417-000	Duet™ High Throughput Interface. Interfaces two Teledyne Tekmar VOC systems with any GC or GC/MS system.
14-8417-000	Duet™ High Throughput Interface. Interfaces two Teledyne Tekmar VOC systems with any GC or GC/MS system.
14-8417-000	Duet™ High Throughput Interface. Interfaces two Teledyne Tekmar VOC systems with any GC or GC/MS system.
14-8417-200	Duet High Throughput Interface. Interfaces two Teledyne Tekmar PTCs with any GC or GC/MS system.
14-8417-200	Duet High Throughput Interface. Interfaces two Teledyne Tekmar PTCs with any GC or GC/MS system.
14-8425-086	Cable assy, Series 66 3-way valve, vent
14-8425-186	Cable assy, Series 66 3-way valve, transfer
14-8425-286	Cable assy, Series 66 3-way valve, water
14-8425-386	Cable assy, Series 66 3-way valve, sweep
14-8429-000	Sample tray (1-36), before US02315001, for All units w/ chillers
14-8430-000	Sample tray (37-72), before US02315001, for all units w/ chillers
14-8439-179	5-port Syringe Stem
14-8440-179	4-port syringe stem
14-8455-047	Timing Belt, syringe drive pumper
14-8465-002	Tubing, PEEK, 1/8" OD, interconnect 4-port to 250 µL syringe
14-8465-102	Tubing, PEEK, 1/8" OD, interconnect 5-port to Needle
14-8466-086	Assy, cup ground wire
14-8470-016	Plug Nut, 1/4-28, Tefzel, Flat Bottom
14-8470-016	Plug Nut, 1/4-28, Tefzel, Flat Bottom
14-8470-016	Plug Nut, 1/4-28, Tefzel, Flat Bottom
14-8470-016	Plug Nut, 1/4-28, Tefzel, Flat Bottom
14-8470-016	Plug Nut, 1/4-28, Tefzel, Flat Bottom
14-8477-086	Cable assy, SOLATEk 72 to 2000
14-8477-186	Cable assy, SOLATEk 72 to "Other concentrator"
14-8477-286	Cable, Archon-Tekmar Interface
14-8477-286	Cable, Archon-Tekmar Interface
14-8477-286	Cable, Archon-Tekmar Interface
14-8505-086	Encoder cable assembly, syringe drive pumper
14-8541-000	Pumper bracket retrofit kit when replacing old style "black" pumper
14-8542-000	Soil line w/ fittings, SOLATEk, spare part only, 1/16" Silcosteel, needle to soil valve
14-8558-000	Drain Line Kit, SOLATEk 72



14-8558-002	Drain Tubing (per foot)
14-8562-016	Nylon tube fitting (for bottom of sample cup)
14-8563-005	O-Ring for Rinse Reservoir
14-8580-067	5 ml sample loop, Peek, AQUATek 70
14-8580-167	25 ml sample loop, Peek, AQUATek 70
14-8580-267	20 ml sample loop, Peek, AQUATek 70
14-8580-367	10 ml sample loop, Peek, AQUATek 70
14-8588-100	4-port syringe drive assembly, pumper only
14-8589-100	5-port syringe drive assembly, pumper only
14-8595-002	Tubing, 1/8", Peek, (per foot)
14-8595-002	Tubing, 1/8", Peek, (per foot)
14-8596-079	Vial Mixing Cup Assembly
14-8610-101	Syringe plunger mounting screw, 8-32 shoulder screw, 5-port
14-8632-073	Clamp, Water Heater
14-8641-067	Loop, 5ml, Silcosteel
14-8659-016	Nut, Flangless, Short, 1/8, Peek
14-8659-016	Nut, Flangless, Short, 1/8, Peek
14-8671-000	4-way union, Silcosteel, includes fittings and capnut
14-8674-000	Mount assembly, Silcosteel w/ fittings (no heaters)
14-8675-002	Mount Sample Tubing Assembly w/ Fittings
14-8711-086	Gripper harness adapter
14-8712-086	Motor harness adapter
14-8714-086	Gripper flat flex harness
14-8715-086	Motor flat flex harness
14-8748-094	Sparger Shield, plastic
14-8763-300	X Encoder Assy, US Digital Encoder, requires 14-8833-086 if replacing red encoder
14-8780-090	AC Output Board
14-8781-190	PCB, DC Control
14-8781-190	PCB, DC Control
14-8781-190	PCB, DC Control
14-8781-390	PCB, DC Control
14-8781-490	PCB, DC Control
14-8782-090	Power Supply
14-8785-000	Oven RTD assembly
14-8785-000	Oven RTD assembly
14-8785-100	Assy RTD, Oven, Atomx
14-8788-000	Oven Cartridge Heater 110v (XPT)
14-8788-200	Oven Cartridge Heater 240V (XPT)
14-8788-200	Oven Cartridge Heater 240V (XPT)
14-8788-300	Assy, Oven Heater, 115V
14-8788-300	Assy, Oven Heater, 115V
14-8789-000	Mount Cartridge Heater 110v (XPT)
14-8789-100	Mount Cartridge Heater 230v (XPT)
14-8789-200	Assy, Mount HTR 115V
14-8789-200	Assy, Mount HTR 115V
14-8789-300	Mount Cartridge Heater 230V (Stratum)
14-8789-400	Soil Valve Heater, Atomx 115V
14-8789-500	Soil Valve Heater, Atomx 230V
14-8790-120	Transferline Heater assembly, 72", 115v
14-8790-420	Transferline Heater assembly, 72", 220V
14-8790-820	Transfer line assy; 230V
14-8790-920	Transfer line assy, 115V
14-8790-C20	Transfer Line Heater Assy, 72", 115V
14-8790-D20	Transfer Line Heater Assy, 72", 230V
14-8790-E20	Assy, Transfer Line Heater 115V
14-8790-F20	Assy, Transfer Line Heater 230V
14-8791-100	Trap Heater assembly, 110V
14-8791-100	Trap Heater assembly, 110V
14-8791-200	Trap Heater assembly, 230V

14-8791-200	Trap Heater assembly, 230V
14-8793-086	AC Power Cable
14-8794-086	DC Power Cable
14-8796-086	Cable Assembly, IRDA to CPU
14-8796-186	Short LNET Cable
14-8796-186	Short LNET Cable
14-8797-086	Cable, Assembly, CPU to SPI Interface.
14-8797-086	Cable, Assembly, CPU to SPI Interface.
14-8797-286	Cable Assy, CPU SPI Interface, StratUm
14-8797-386	Cable Assy, CPU to SPI Interface
14-8798-086	25 PIN DC board to Back Panel
14-8798-186	Cable, Assembly, GCIO Interface.
14-8798-286	Cable Assy, AA70 to Concentrator
14-8798-386	Cable Assy, GC/IO Interface
14-8800-086	Temperature Board DC Cable Assembly
14-8803-000	Stepper motor assembly, X,Y, Z
14-8813-000	Flex cable replacement kit
14-8814-009	Washer, Kalrez for 4-port and 5-port valves
14-8820-016	Nut, 1/16", Short, PEEK
14-8820-016	Nut, 1/16", Short, PEEK
14-8820-016	Nut, 1/16", Short, PEEK
14-8829-055	Encoder, x, y, and z (Dynapar)
14-8831-000	Y & Z encoder replacement kit
14-8833-086	X encoder cable assembly, black encoder
14-8834-000	Guardian Foam Sensor option
14-8834-000	Guardian Foam Sensor option
14-8834-000	Guardian Foam Sensor option
14-8834-100	Guardian Foam Sensor and Eliminator Retrofit Kit
14-8834-100	Guardian Foam Sensor and Eliminator Retrofit Kit
14-8834-155	Foam Module, All Units, Green
14-8834-300	Foam Sensor/Eliminator, Stratum
14-8834-500	Kit, Atomx Foam Sensor
14-8834-500	Kit, Atomx Foam Sensor
14-8834-600	Kit, Atomx Eliminator Upgrade
14-8834-600	Kit, Atomx Eliminator Upgrade
14-8836-100	3000/3100 Guardian foam sensor retrofit kit.
14-8838-057	AC Troubleshooting LED
14-8856-000	Assy, 10mL Antifoam 1520
14-8856-000	Assy, 10mL Antifoam 1520
14-8856-000	Assy, 10mL Antifoam 1520
14-8856-000	Assy, 10mL Antifoam 1520
14-8856-000	Assy, 10mL Antifoam 1520
14-8876-086	Mass Flow Controller Cable
14-8876-086	Mass Flow Controller Cable
14-8876-086	Mass Flow Controller Cable
14-8876-186	Cable, Assembly, MFC Comm.
14-8876-386	Cable Assy, Mass Flow Controller Comm/Power
14-8898-075	VOC Teklink Control Software capable of controlling Velocity XPT Purge and Trap Concentrators with AQUATEk 70/SOLATEk 72 autosampler systems.
14-8898-075	VOC Teklink Control Software capable of controlling Velocity XPT Purge and Trap Concentrators with AQUATEk 70/SOLATEk 72 autosampler systems.
14-8900-074	User Manual, Velocity XPT
14-8900-117	Shipping Carton, Velocity XPT
14-8900-PRT	Velocity Refurb Kit, parts only
14-8900-PTLV	Velocity refurb kit, w/out 6-port valve
14-8900-RFB	Velocity Refurb Kit, with labor
14-8901-450	LED Cable, Drain Valve
14-8901-450	LED Cable, Drain Valve
14-8901-550	Valve LED Power Cable, W/3" LED Ext.
14-8901-550	Valve LED Power Cable, W/3" LED Ext.

14-8901-600	Valve Manifold Assembly w/ 3-port Solenoid Valves, Fittings, and Cables
14-8901-650	Solenoid Valve Manifold Assy, LQX
14-8901-750	3-port solenoid valve for manifold
14-8901-750	3-port solenoid valve for manifold
14-8902-000	Discrete 3-port Solenoid Valve Assembly, w/ fittings (Drain or Eliminator Valves)
14-8904-586	Assembly, valve LED power cable
14-8905-116	1/8" to 1/16" Union Silcosteel Coated w/ ferrules (No 1/8" ferrule)
14-8906-050	Mass Flow Controller Assy
14-8906-050	Mass Flow Controller Assy
14-8907-000	Mass Flow Controller Assy, HT3
14-8908-000	Trap Injection Port w/ septa (XPT)
14-8909-043	Thermal Green Septa for Trap Injection Port
14-8909-043	Thermal Green Septa for Trap Injection Port
14-8911-003	DryFlow Moisture Trap (W)
14-8914-016	Nut, 1/8 Black Delrin Upchurch
14-8914-016	Nut, 1/8 Black Delrin Upchurch
14-8914-016	Nut, 1/8 Black Delrin Upchurch
14-8915-016	1/8" Manifold Bushing, Delrin
14-8915-016	1/8" Manifold Bushing, Delrin
14-8916-016	Nut, Black ,Upchurch, 1/16 Long
14-8916-016	Nut, Black ,Upchurch, 1/16 Long
14-8918-016	1/8" TO 1/8" Bulkhead union silcosteel coated
14-8919-016	1/8" TO 1/16" Graphite Vespel Reducing Ferrule
14-8920-000	Sample Heater Assembly for all glassware types, 110V
14-8920-100	Sample Heater Assembly for all glassware types, 220V
14-8920-200	Sample Heater Assembly for all glassware types, 110V
14-8920-200	Sample Heater Assembly for all glassware types, 110V
14-8920-300	Assy, Heater, Sample 5/25mL 230VAC
14-8920-300	Assy, Heater, Sample 5/25mL 230VAC
14-8920-300	Assy, Heater, Sample 5/25mL 230VAC
14-8920-500	Atomx, Sample Heater Kit (115V)
14-8920-500	Atomx, Sample Heater Kit (115V)
14-8920-500	Atomx, Sample Heater Kit (115V)
14-8920-600	Atomx, Sample Heater Kit (230V)
14-8920-600	Atomx, Sample Heater Kit (230V)
14-8920-600	Atomx, Sample Heater Kit (230V)
14-8921-000	Sparger kit, 5mL fritted
14-8921-000	Sparger kit, 5mL fritted
14-8921-000	Sparger kit, 5mL fritted
14-8921-000	Sparger kit, 5mL fritted
14-8921-000	Sparger kit, 5mL fritted
14-8922-000	Sparger kit, 25 mL fritted
14-8922-000	Sparger kit, 25 mL fritted
14-8922-000	Sparger kit, 25 mL fritted
14-8922-000	Sparger kit, 25 mL fritted
14-8922-000	Sparger kit, 25 mL fritted
14-8922-100	25mL frit Sparge Glassware Kit Atomx
14-8922-100	25mL frit Sparge Glassware Kit Atomx
14-8923-000	Sparger kit, 5 mL fritless
14-8923-000	Sparger kit, 5 mL fritless
14-8923-000	Sparger kit, 5 mL fritless
14-8923-000	Sparger kit, 5 mL fritless
14-8923-000	Sparger kit, 5 mL fritless
14-8924-000	Sparger kit, 25 mL fritless
14-8924-000	Sparger kit, 25 mL fritless
14-8924-000	Sparger kit, 25 mL fritless
14-8924-000	Sparger kit, 25 mL fritless
14-8924-100	25mL fritless Sparge Glassware Kit Atomx
14-8924-100	25mL fritless Sparge Glassware Kit Atomx

14-8925-000	Sparger kit, 5 mL needle
14-8925-100	kit, 5mL needle sparge, Stratum
14-8925-100	kit, 5mL needle sparge, Stratum
14-8926-000	Sparger kit, 25 mL needle
14-8926-100	kit, 25mL needle sparge, Stratum
14-8926-100	kit, 25mL needle sparge, Stratum
14-8927-002	PEEK Tubing, 1/16" OD, Green (per foot)
14-8927-002	PEEK Tubing, 1/16" OD, Green (per foot)
14-8927-002	PEEK Tubing, 1/16" OD, Green (per foot)
14-8927-002	PEEK Tubing, 1/16" OD, Green (per foot)
14-8927-002	PEEK Tubing, 1/16" OD, Green (per foot)
14-8928-002	PEEK Tubing, 1/16" OD, Orange (per foot)
14-8928-002	PEEK Tubing, 1/16" OD, Orange (per foot)
14-8928-002	PEEK Tubing, 1/16" OD, Orange (per foot)
14-8928-002	PEEK Tubing, 1/16" OD, Orange (per foot)
14-8938-002	Tubing, Silcosteel, 1/16"OD x .04" ID (no siloxane)
14-8938-002	Tubing, Silcosteel, 1/16"OD x .04" ID (no siloxane)
14-8938-002	Tubing, Silcosteel, 1/16"OD x .04" ID (no siloxane)
14-8938-002	Tubing, Silcosteel, 1/16"OD x .04" ID (no siloxane)
14-8938-002	Tubing, Silcosteel, 1/16"OD x .04" ID (no siloxane)
14-8962-101	Syringe plunger mounting screw, 8-32 shoulder screw, 4-port
14-8981-350	5-port syringe valve, w/ nuts, ferrules, & washers
14-8993-000	Cryofocusing Module for StratUm PTC, 110V. Cryofocusing trap for use with capillary columns from 0.53 to 0.20mm ID (non-split applications). Instruction manual and interface to StratUm PTC included. Requires StratUm PTC for operation. If connecting to an Agilent 6890 you must order a 6890 bracket kit P/N 14-7341-280. (For backpressure regulated systems you must purchase an external regulator assembly P/N 14-3938-000)
14-8993-000	Cryofocusing Module for StratUm PTC, 110V. Cryofocusing trap for use with capillary columns from 0.53 to 0.20mm ID (non-split applications). Instruction manual and interface to StratUm PTC included. Requires StratUm PTC for operation. If connecting to an Agilent 6890 you must order a 6890 bracket kit P/N 14-7341-280. (For backpressure regulated systems you must purchase an external regulator assembly P/N 14-3938-000)
14-8993-100	Cryofocusing Module for StratUm PTC, 230V. Cryofocusing trap for use with capillary columns from 0.53mm to 0.20mm ID (non-split applications). instruction manual and interface to StratUm PTC included. Requires StratUm PTC for operation. If connecting an Agilent 6890 you must order a 6890 bracket kit P/N 14-7341-280. (For backpressure regulated systems you must purchase an external regulator assembly P/N 14-3938-000)
14-8993-100	Cryofocusing Module for StratUm PTC, 230V. Cryofocusing trap for use with capillary columns from 0.53mm to 0.20mm ID (non-split applications). Instruction manual and interface to StratUm PTC included. Requires StratUm PTC for operation. If connecting an Agilent 6890 you must order a 6890 bracket kit P/N 14-7341-280. (For backpressure regulated systems you must purchase an external regulator assembly P/N 14-3938-000)
14-8997-000	Forward Focusing Chamber Assembly w/ Fittings
14-9001-077	Electronic Crimper for 12x32 mm vials.(115V)
14-9001-077	Electronic Crimper for 12x32 mm vials.(115V)
14-9001-177	Electronic Crimper for 12x32mm vials. (230V)
14-9001-177	Electronic Crimper for 12x32mm vials. (230V)
14-9024-016	Manifold Frit, stainless steel, to vent valve
14-9025-000	1/16" PEEK tubing retrofit kit for units before SN US02315001
14-9035-000	FFC Cartridge Heater 120V
14-9035-100	FFC Cartridge Heater 230V
14-9042-016	Sample Mount needle ferrule, 1/16"
14-9043-016	Sample mount needle nut, 1/16"
14-9053-080	Side Latch, snap-in for top lid

14-9085-120	TRL heater assy, 115V
14-9085-220	TRL heater assy, 230V
14-9108-034	Fuse, 8 pico amp
14-9123-000	Needle stripper assy
14-9126-050	6-port Valve Assembly, small body, 24 VDC includes Valve, fittings, actuator, controller and cable
14-9126-050	6-port Valve Assembly, small body, 24 VDC includes Valve, fittings, actuator, controller and cable
14-9126-150	6-port Valve small body w/ slider.
14-9126-150	6-port Valve small body w/ slider.
14-9126-250	6 port actuator only, SM body valve
14-9126-250	6 port actuator only, SM body valve
14-9126-350	Rotor, 6-port valve, small body after SN US04119002
14-9126-350	Rotor, 6-port valve, small body after SN US04119002
14-9131-000	Vial loader motor assy
14-9133-079	Vial insert for 9ml and 12ml vials. (1 insert required per carrousel position)
14-9133-179	Vial insert for 11ml vials. 10pk (1 insert required per carrousel position)
14-9139-000	Dual Optical Sensor Assy
14-9145-050	8-Port Valve Assembly
14-9145-150	8-port valve only
14-9145-250	8-port valve rotor
14-9145-350	8-port valve and actuator
14-9145-450	8-port valve control box
14-9155-000	Sample/mixer motor assy
14-9172-067	HT3 1ml loop, Silco coated.
14-9172-067	HT3 1ml loop, Silco coated.
14-9180-090	PCBA, Processor, Motor
14-9181-086	Cable, Assembly, CPU to Display Cable.
14-9182-086	Cable Assy, RJ45 Ethernet
14-9182-086	Cable Assy, RJ45 Ethernet
14-9183-000	Oven heater cartridge assy, 115V
14-9183-100	Oven heater cartridge assy, 230V
14-9185-090	PCBA, AC Output Board
14-9185-090	PCBA, AC Output Board
14-9185-090	PCBA, AC Output Board
14-9240-100	Platen heater assembly, 115 VAC
14-9240-200	Platen heater assembly, 230V
14-9258-000	Platen worm assembly
14-9266-000	Carrousel drive assy
14-9266-400	Carousel, Drive Assy, AQUATek 100
14-9300-000	Teledyne Tekmar HT3 Headspace Autosampler. This static headspace autosampler comes with our 60 position autosampler, 10 position platen heater, integrated Optimix equilibrium system, and completely heated Silcosteel sample pathway. Entire system can be heated from ambient up to 300C in increments of 1C. Valve and loop configuration includes 1ml standard loop. System's gas flows and pressure are electronically monitored and controlled. Windows XP or 2000 is required to operated the included HT3 TekLink software. Power requirements are 115V, 50/60 Hz, 10A. Make sure to order the appropriate GC interface cable to ensure proper installation.

	Teledyne Tekmar HT3 Dynamic Headspace Autosampler. This dynamic headspace autosampler comes with our 60 position autosampler, 10 position platen heater, integrated Optimix equilibrium system, and completely heated Silcosteel sample pathway. Entire system, including trap, can be heated from ambient up to 300C in increments of 1C. Valve and loop configuration includes 1ml standard loop. Dynamic mode includes 12" x 1/8" Tenax/Silica Gel and Charcoal (#3) trap and Vocarb 3000 (K) trap. Static and Dynamic modes may be used interchangeably throughout the same schedule. System's gas flows and pressure are electronically monitored and controlled. Windows XP or 2000 is required to operate the included HT3 TekLink software. Power requirements are 115V, 50/60 Hz, 10A. Make sure to order the appropriate GC interface cable to ensure proper installation.
14-9300-00S	HT3 TekLink Software.
14-9300-075	HT3 Static 230V version.
14-9300-100	HT3 Dynamic, 230V version.
14-9300-10S	Dynamic(Trap) Upgrade Kit, 115V. This does not include labor.
14-9300-1UPG	Dynamic(Trap) Upgrade Kit, 230V. This does not include labor.
14-9300-2UPG	Loop Documentation Only
14-9300-IQL	Loop Full IQ/OQ with Labor and Docs
14-9300-IQLF	Loop Installation Qualification with Labor and Docs
14-9300-IQLL	Trap Documentation Only
14-9300-IQT	Trap Full IQ/OQ with Labor and Docs
14-9300-IQTF	Trap Installation Qualification with Labor and Docs
14-9300-IQTL	Loop Operation Qualification with Labor and Docs
14-9300-OQLL	Trap Operation Qualification with Labor and Docs
14-9300-OQTL	Trap, BTEX + MTBE
14-9333-003	Strat-Trap, BTEX + MTBE
14-9333-403	Strat-Trap, BTEX + MTBE
14-9333-403	Elevator Mechanical Stop for Vextra PK stir motor, prior to SNUS04162009
14-9338-000	Elevator Mechanical Stop for SKC SST stir motor, after SNUS04162009
14-9338-100	Assy, Cooling Fan, Velocity
14-9363-100	PEEK Tubing, restrictive, 0.010 ID x 1/16" OD, Blue (per foot)
14-9384-002	Cable, Assembly, Valco/MFC Power.
14-9396-086	Optical Sensor Assy, 24"
14-9397-100	Stepper motor Assy
14-9401-000	Stepper motor Assy
14-9401-000	Cable, Assembly, Main AC Harness.
14-9403-086	Oven RTD Assy, High Temp Leads
14-9404-000	Platen RTD Assy
14-9404-100	Cable, Assembly, Valco Control.
14-9407-086	Quick Disconnect, 1/16".
14-9410-016	HT3 100ul loop, Silco coated.
14-9414-067	HT3 100ul loop, Silco coated.
14-9414-067	HT3 250ul loop, Silco coated.
14-9415-067	HT3 250ul loop, Silco coated.
14-9415-067	HT3 300ul loop, Silco coated
14-9415-167	HT3 300ul loop, Silco coated
14-9415-167	HT3 500ul loop, Silco coated.
14-9416-067	HT3 500ul loop, Silco coated.
14-9416-067	HT3 2 ml loop, Silco coated.
14-9417-067	HT3 2 ml loop, Silco coated.
14-9417-067	HT3 5 ml loop, Silco coated.
14-9419-067	Ferrite filter assy
14-9428-035	CAP Fuse, 2A
14-9432-034	CAP Fuse, 3.15A
14-9433-034	CAP Fuse, 5A
14-9434-034	Cooling fan, front and rear
14-9437-000	RTD Jumper
14-9477-000	Rinse Station
14-9525-300	

14-9571-022	Latch, Front Cover
14-9577-090	PCB, LED Banner Control Assembly
14-9577-090	PCB, LED Banner Control Assembly
14-9593-090	Power Supply, 24 VDC
14-9593-090	Power Supply, 24 VDC
14-9602-055	Encoder, x,y, and z (US Digital)
14-9620-294	Drain Tray
14-9622-002	Tubing, Siltek, 1/16" OD x 0.040" ID (per foot)
14-9622-002	Tubing, Siltek, 1/16" OD x 0.040" ID (per foot)
14-9623-002	Tubing, Transfer Line, Siltek (per foot), 0.021 ID x .029 OD
14-9623-002	Tubing, Transfer Line, Siltek (per foot), 0.021 ID x .029 OD
14-9639-090	Power Supply 25W
14-9639-090	Power Supply 25W
14-9640-090	Power Supply, 65 W, 12VDC
14-9642-002	Tubing, Wire Reinforced (Clear), ea= 1ft
14-9654-086	LED Banner cable assy
14-9661-055	Encoder
14-9719-000	Pumper, Kloehn, V6
14-9754-086	Shimadzu 2010-2014 Interface Cable
14-9754-086	Shimadzu 2010-2014 Interface Cable
14-9754-086	Shimadzu 2010-2014 Interface Cable
14-9754-086	Shimadzu 2010-2014 Interface Cable
14-9754-086	Shimadzu 2010-2014 Interface Cable
14-9754-086	Shimadzu 2010-2014 Interface Cable
14-9754-086	Shimadzu 2010-2014 Interface Cable
14-9778-016	Nut 1/8", 1/4 - 28, PEEK, Long
14-9778-016	Nut 1/8", 1/4 - 28, PEEK, Long
14-9784-250	7-Port Valve for Syringe Pumper
14-9786-079	Vial Stripper Adapter
14-9790-000	Carriage Assembly w/US Digital Encoders
14-9790-100	Carriage Assembly w/out Encoders
14-9799-000	Mass Flow Controller Assy
14-9800-075	VOC Teklink Control Software capable of controlling the StratUm PTC with AQUATek 70 / SOLATek 72 autosampler systems
14-9800-075	VOC Teklink Control Software capable of controlling the StratUm PTC with AQUATek 70 / SOLATek 72 autosampler systems
14-9800-100	StratUm PTC Sample Concentrator 110V. Includes 60" Siltek heated transferline, Siltek tubing and Siltek treated fittings throughout the sample pathway, heated sample mount, water removal system, U-Trap technology, glassware bypass injection port, 5 ml frit sample sparger, Vocarb 3000 trap, #9 trap, spare fuses, instruction manual, and RS-232 interface capability. Includes VOC Teklink software. Requires for operation a PC with CD-ROM drive running Microsoft Windows XP Only. Also requires the appropriate GC or GC/MS interface cable.
14-9800-1e0	StratUm PTC Sample Concentrator 110V with Guardian Foam Sensor / Foam Eliminator. Includes 60" Siltek heated transferline, Siltek tubing and Siltek treated fittings throughout the sample pathway, heated sample mount, water removal system, U-Trap technology, glassware bypass injection port, 5 ml frit sample sparger, Vocarb 3000 trap, #9 trap, spare fuses, instruction manual, and RS-232 interface capability. Includes VOC Teklink software. Requires for operation a PC with CDROM drive running Microsoft Windows XP Only. Also requires the appropriate GC or GC/MS interface cable. If operating the StratUm PTC without an autosampler a rinse reservoir or rinse tap kit is required.

14-9800-200	StratUm PTC Sample Concentrator 230V. Includes 60" Siltek heated transferline, Siltek tubing and Siltek treated fittings throughout the sample pathway, heated sample mount, water removal system, U-Trap technology, glassware bypass injection port, 5 ml frit sample sparger, Vocarb 3000 trap, #9 trap, spare fuses, instruction manual, and RS-232 interface capability. Includes VOC Teklink software. Requires for operation a PC with CD-ROM drive running Microsoft Windows XP only. Also requires the appropriate GC or GC/MS interface cable.
14-9800-2e0	StratUm PTC Sample Concentrator 230V with Guardian Foam Sensor / Foam Eliminator. Includes 60" Siltek heated transferline, Siltek tubing and Siltek treated fittings throughout the sample pathway, heated sample mount, water removal system, U-Trap technology, glassware bypass injection port, 5 ml frit sample sparger, Vocarb 3000 trap, #9 trap, spare fuses, instruction manual, and RS-232 interface capability. Includes VOC Teklink software. Requires for operation a PC with CDROM drive running Microsoft Windows XP only. Also requires the appropriate GC or GC/MS interface cable. If operating the StratUm PTC without an autosampler a rinse reservoir or rinse tap kit is required.
14-9800-KIT	Kit box, Stratum
14-9800-PRT	StratUm PTC Refurb Kit, parts only
14-9800-PTLV	Refurb Kit, Stratum, Parts Only, W/O 6-Port
14-9800-RFB	StratUm PTC Refurb Kit, with labor
14-9801-016	Mount/Tee Assy, Siltek w/ Fittings (no heaters)
14-9809-054	65lb Gas Shock
14-9828-120	Trap Heater, Nichrome Wire, 115V
14-9828-120	Trap Heater, Nichrome Wire, 115V
14-9828-220	Trap Heater, Nichrome Wire, 230V
14-9828-220	Trap Heater, Nichrome Wire, 230V
14-9840-100	Trap Blower Fan Assy
14-9841-028	Switch, Limit, Miniature
14-9845-016	Trap Manifold Assy w/ Fittings
14-9845-016	Trap Manifold Assy w/ Fittings
14-9847-000	Cooling Fan Assy, Low CFM
14-9849-000	Top of Trap Injection Port Assy (StratUm)
14-9852-090	Power Supply, +24V, 65W
14-9857-086	DC power harness cable assy
14-9858-086	AC power harness cable assy
14-9879-086	Trap AC extension cable, 115V
14-9880-086	Trap Heater RTD extension cable assy
14-9895-120	Heater, Condensate Trap, 115V
14-9895-120	Heater, Condensate Trap, 115V
14-9895-220	Heater, Condensate Trap, 230V
14-9895-220	Heater, Condensate Trap, 230V
14-9908-003	#9 Trap, straight (XPT)
14-9908-003	#9 Trap, straight (XPT)
14-9908-403	Strat-Trap, #9 (U-shaped)
14-9908-403	Strat-Trap, #9 (U-shaped)
14-9909-403	Strat-Trap, Tenax/Silica Gel/Carbo Sieve III (#10)
14-9909-403	Strat-Trap, Tenax/Silica Gel/Carbo Sieve III (#10)
14-9924-016	Fitting, 1/4-28 to Barb
14-9927-002	Tubing, Siltek, 1/16" OD x 0.02" ID (per foot)
14-9927-002	Tubing, Siltek, 1/16" OD x 0.02" ID (per foot)
14-ACAN-017	Packaging, AUTOCAN
14-ACAN-074	AUTOCAN manual
14-ACAN-KIT	Kit box
15-0000-017	Box and Foam, Atomx
15-0000-017	Box and Foam, Atomx
15-0000-075	Atomx Teklink, CD
15-0000-075	Atomx Teklink, CD



15-0000-100	Atomx automated sample prep system for solids and liquids 110VAC. 80 vial position autosampler and built in Purge and Trap module with automated methanol extraction capability. System includes 3 standard spiking valves, mass flow controller, and a #9 analytical trap. Package includes Atomx Teklink, RS-232 cable, 5mL fritted glassware, water reservoir, installation kit box, and 1 year warranty.
15-0000-10C	Atomx automated sample prep system for solids and liquids with chiller tray 110VAC. 80 vial position autosampler and built in Purge and Trap module with automated methanol extraction capability. System includes 3 standard spiking valves, mass flow controller, and a #9 analytical trap. Package includes Atomx Teklink, RS-232 cable, 5mL fritted glassware, water reservoir, installation kit box, and 1 year warranty. System also requires a re-circulating bath pn 21-0700-000 for cooling operation.
15-0000-1E0	Atomx automated sample prep system for solids and liquids with Eliminator foam prevention 110VAC. 80 vial position autosampler and built in Purge and Trap module with automated methanol extraction capability. System includes 3 standard spiking valves, mass flow controller, and a #9 analytical trap. Package includes Atomx Teklink, RS-232 cable, 5mL fritted glassware, water reservoir, installation kit box, and 1 year warranty.
15-0000-1EC	Atomx automated sample prep system for solids and liquids with chiller tray and Eliminator foam prevention 110VAC. 80 vial position autosampler and built in Purge and Trap module with automated methanol extraction capability. System includes 3 standard spiking valves, mass flow controller, and a #9 analytical trap. Package includes Atomx Teklink, RS-232 cable, 5mL fritted glassware, water reservoir, installation kit box, and 1 year warranty. System also requires a recirculating bath pn 21-0700-000 for cooling operation.
15-0000-200	Atomx automated sample prep system for solids and liquids 230VAC. 80 vial position autosampler and built in Purge and Trap module with automated methanol extraction capability. System includes 3 standard spiking valves, mass flow controller, and a #9 analytical trap. Package includes Atomx Teklink, RS-232 cable, 5mL fritted glassware, water reservoir, installation kit box, and 1 year warranty.
15-0000-20C	Atomx automated sample prep system for solids and liquids with chiller tray 230VAC. 80 vial position autosampler and built in Purge and Trap module with automated methanol extraction capability. System includes 3 standard spiking valves, mass flow controller, and a #9 analytical trap. Package includes Atomx Teklink, RS-232 cable, 5mL fritted glassware, water reservoir, installation kit box, and 1 year warranty. System also requires a re-circulating bath pn 21-0701-000 for cooling operation.
15-0000-2E0	Atomx automated sample prep system for solids and liquids with Eliminator foam prevention 230VAC. 80 vial position autosampler and built in Purge and Trap module with automated methanol extraction capability. System includes 3 standard spiking valves, mass flow controller, and a #9 analytical trap. Package includes Atomx Teklink, RS-232 cable, 5mL fritted glassware, water reservoir, installation kit box, and 1 year warranty.
15-0000-2EC	Atomx automated sample prep system for solids and liquids with chiller tray and Eliminator foam prevention 230VAC. 80 vial position autosampler and built in Purge and Trap module with automated methanol extraction capability. System includes 3 standard spiking valves, mass flow controller, and a #9 analytical trap. Package includes Atomx Teklink, RS-232 cable, 5mL fritted glassware, water reservoir, installation kit box, and 1 year warranty. System also requires a recirculating bath pn 21-0701-000 for cooling operation.
15-0000-KIT	Installation Kit Box
15-0076-280	Tray, Carousel, 80 Position Atomx
15-0086-090	PCB, Temp Control
15-0087-002	Tubing, Drain, Self Retracting (per foot)
15-0088-016	Union, 1/4" Brass
15-0100-100	Heater Assy, Sample Vial
15-0100-200	Heater Assy, Sample Vial, 55W, 230VAC
15-0110-000	Belt, Mixer Drive, Atomx

15-0112-000	Manifold, Is Valve Atomx
15-0112-100	3 POS Manifold (w/ 1-plug), Internal Standard Valve AQUATek 100
15-0129-053	Needle, 3 Stage, Atomx
15-0136-002	Tubing, 1/4" OD Blue Polyurethane (per foot)
15-0171-016	Sample Mount Assy, w/o Fittings Atomx
15-0180-300	Vial Retraction Assy Atomx
15-0185-079	Bearing Guide, Carousel Tray Atomx
15-0197-090	PCB, Aux DC Board
15-0201-024	Vessel, 15mL Amber IS
15-0201-024	Vessel, 15mL Amber IS
15-0202-079	Bushing, Peek W/ O-Ring, IS Vessel
15-0202-079	Bushing, Peek W/ O-Ring, IS Vessel
15-0216-000	Assy, Elevator Sample Motor, Atomx
15-0233-031	Knob, Carousel Tray Atomx
15-0236-050	Valve, Is Atomx
15-0236-050	Valve, Is Atomx
15-0255-000	Carousel, Drive Assy, Atomx
15-0258-000	Stir Bar, Polygon 0.25 x 0.75"
15-0258-000	Stir Bar, Polygon 0.25 x 0.75"
15-0259-000	Guard, Assy Mount Plastic, Atomx
15-0270-052	Syringe, 27 mL With Side Port
15-0271-000	Mounting Kit, IS Valve
15-0271-000	Mounting Kit, IS Valve
15-0272-002	Line Assy, I.S., w/ Minstac Connector
15-0272-002	Line Assy, I.S., w/ Minstac Connector
15-0273-000	Screen, 12 UM, Inline, IS Assembly
15-0274-050	6-Port Valve Assy .030 Port W Conn
15-0275-250	6-Port Valve Actuator Assembly
15-0277-000	Clamp, Ring Valco Valve Heavy
15-0278-050	Check Valve (CV-3322)
15-0279-000	Blank Water Reservoir, 10 Liters
15-0280-050	Valve, 24VDC, LQX 12
15-0285-016	1/8" Vespel ferrule
15-0290-086	USB to RS232 Converter Cable
15-0290-086	USB to RS232 Converter Cable
15-0291-000	Chiller, Atomx
15-0291-000	Chiller, Atomx
15-0293-000	Lubricant, Dupont Krytok #GPL206
15-0380-090	PCB, Motor Control
15-0380-190	PCBA, Motor Control, A100
15-0408-100	Oven Heater Assy, Atomx 115V
15-0408-200	Oven Heater Assy, Atomx 230V
15-0439-000	External Pressure Regulator
15-0439-000	External Pressure Regulator
15-0457-053	2-Stage Sample Needle
15-0463-180	Carousel, 100 Position, 40ml Vial
15-0485-000	Drain/Foam 24VDC Solenoid Valve Kit
15-0485-050	Valve 24VDC, SMC
15-0500-000	AQUATek 100 Liquid Autosampler, universal voltage with 5mL PEEK sample loop. Including 100 vial (40mL) capacity, 2 position variable dosing standard valves. Includes chiller tray, blank water reservoir, start up kit, required software for Stratum and Velocity operation, and 1 year warranty. If installing to a Velocity XPT with serial number US07320009 or earlier p/n 14-8781-190 D.C. Output board will be required for proper operation. Pricing available on Velocity XPT spare parts list.
15-0500-017	Box and Foam
15-0500-075	A-100 Software & Manual CD
15-0500-KIT	Kit Box
15-0503-000	Pull Handle
15-0504-090	PCB, AT-100 Temp Board

15-0507-000	Service Loop Tubing Assy
15-0528-100	Upgraded Kit, A100 pH Sensor
15-0545-067	Sample Loop, PEEK, 5ml A-100
15-0545-167	Sample Loop, PEEK, 25ml A-100
15-0545-267	Sample Loop, PEEK, 20ml A-100
15-0545-367	Sample Loop, PEEK, 10ml A-100
15-0551-000	Concentrator Adapter Cable 25 to 9 pin
15-0554-073	Clamp - Cable, Adjustable
15-0561-020	Assy, Water Reservoir/Heater Universal Voltage
15-0650-000	Pressure Regulator Assy, Atomx-after US10313001
15-0650-200	Pressure Regulator Upgrade Kit, Atomx - Before US10313001
15-0806-200	Regulating, Self Relieving, 0-15psi
152-104	Tube TFE, IND, 1/4 D x 3/16 ID
21-0700-000	Recirculating bath, refrigerated, Model 2050W. 120V, 60Hz, 11 amps, compact size - 12-1/2" x 8-3/4" footprint
21-0700-000	Recirculating bath, refrigerated, Model 2050W. 120V, 60Hz, 11 amps, compact size - 12-1/2" x 8-3/4" footprint
21-0701-000	Recirculating bath, refrigerated, Model 2050W. 220V, 60Hz, 11 amps, compact size - 12-1/2" x 8-3/4" footprint
21-0701-000	Recirculating bath, refrigerated, Model 2050W. 220V, 60Hz, 11 amps, compact size - 12-1/2" x 8-3/4" footprint
885-291	Check valve 1/8"
885-291	Check valve 1/8"
885-291	Check valve 1/8"
885-291	Check valve 1/8"
BR-8900-RFB	Velocity Refurb Kit with labor, in house
Item No.	Description
Item No.	Description
Item No.	Description